C1000-109^Q&As

IBM Cloud Professional Developer v4

Pass IBM C1000-109 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c1000-109.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

The IBM Cloud Kubernetes Service cluster autoscaler is available for standard clusters that are set up with which of the following networks?

A. VPN

B. Public

C. Hybrid

D. Private

Correct Answer: B

QUESTION 2

What approach should be taken to request a policy limit increase for an account?

A. Submit a support case

B. Request via CLI

C. Request via API

D. Adjust account profile settings

Correct Answer: A

QUESTION 3

Which of the following personas in IBM API Connect may have access to publish APIs?

A. Operations Lead

B. Application Developer

C. Business Analyst

D. API Developer

Correct Answer: D

QUESTION 4

While building a chatbot with Watson Assistant, a developer wants to expand the dialog skill to avoid showing the message ":I \\'m sorry, I\\'m arraid I can\\'t do that." to the user. What solutions can the developer use?

A. The developer should completely change the Intent to allow the Watson Dialog Skill to recognize a wider dialog flow

B. The developer can add a Watson Studio capability to analyze, cleanse and shape data and train machine learning models to enhance the Dialog Skill

C. The developer can add a Search Skill to route complex customer inquiries to the IBM Watson Discovery service to treat the user input as a search query

D. The developer should use the Watson OpenScale add-on to route inquiries to treat the user input as a search query

Correct Answer: D

QUESTION 5

A developer is instructed to use a circuit breaker pattern in a User Story, using a best effort approach. What should the developer do to deliver this request?

A. Check the service status through an API call and throw an exception when the service is down

B. Add a fallback method that returns null or an empty set as result when the service is down

C. Add a fallback method that returns a cached copy of the data requested when the service is down

D. Add a retry loop to keep trying the invocation when the service is down

Correct Answer: A

[C1000-109 VCE Dumps](#)   [C1000-109 Practice Test](#)   [C1000-109 Braindumps](#)