



C1000-109^{Q&As}

IBM Cloud Professional Developer v4

Pass IBM C1000-109 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c1000-109.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following is a supported Container lifecycle hook in a Kubernetes environment?

- A. PreStart
- B. PostStop
- C. PostStart
- D. Completed

Correct Answer: C

QUESTION 2

What kind of jobs can be created in a Delivery Pipeline stage?

- A. Develop, Delivery, and Test
- B. Build, Deploy, and Test
- C. Build, Install, and Verify
- D. Build, Delivery, and Test

Correct Answer: B

QUESTION 3

The IBM Cloud Object Storage S3 compatible API is a REST-based API for reading and writing objects. What kind of credential needs to be generated to authenticate to the S3 API?

- A. HMAC
- B. SSL
- C. SSH
- D. IAM API Key

Correct Answer: A

QUESTION 4

Which statement describes the Watson IoT Platform?

- A. The Watson IoT Platform is a containerized IoT platform designed to run on Red Hat OpenShift



- B. The Watson IoT Platform is a fully managed, cloud-hosted service that makes it simple to derive value from Internet of Things (IoT) devices
- C. The Watson IoT Platform is an IBM software solution designed to run on both on- premises environments and on IBM Cloud
- D. The Watson IoT Platform is a cloud-hosted CORBA service that makes it simple to develop IoT applications using a simple drag and drop interface

Correct Answer: B

QUESTION 5

A company defined a strategic goal to move applications to cloud. In this context, all new projects developed must be cloud-native. A developer starting a new project should follow which strategy?

- A. The application must use PaaS in public clouds and be portable among them
- B. The application must be scalable and run in a dynamic environment
- C. The application must be stateless and use serverless architecture
- D. The application must use a CORBA buffer to integrate APIs

Correct Answer: D

[C1000-109 PDF Dumps](#)

[C1000-109 Practice Test](#)

[C1000-109 Study Guide](#)