



C100DBA^{Q&As}

MongoDB Certified DBA Associate Exam (Based on MongoDB 4.4)

Pass MongoDB C100DBA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c100dba.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by MongoDB
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following is true about sharding?

- A. Creating a sharded key automatically creates an index on the collection using that key
- B. We cannot change a shard key directly/automatically once it is set up
- C. A sharded environment does not support sorting functionality since the documents lie on various mongod instances
- D. Sharding is enabled at the database level

Correct Answer: B

QUESTION 2

Which of the following commands will return all the posts with number of likes greater than 100 and less than 200, both inclusive?

- A. `db.posts.find({ likes : { $gte : 100 , $lte : 200 } });`
- B. `db.posts.find({ likes : { $gt : 100 , $lte : 200 } });`
- C. `db.posts.find({ likes : { $gte : 100, $lt : 200 } });`
- D. `db.posts.find({ likes : { $gt : 100, $lt : 200 > > });`

Correct Answer: A

QUESTION 3

Which of the documents below will be retrieved by the following query? Assume the documents are stored in a collection called "sample". Check all that apply.

`db.sample.find({ "$or" : [{ "a" : { "$in" : [3, 10] > } }, { "b" : { "$lt" : 2 > >] > } }`

- A. `{ "_id" : 3, "a" : 4, "c" : 0, "b" : 14 }`
- B. `{ "_id" : 7, "a" : 8, "c" : 1, "b" : 7 }`
- C. `{ ".Jd" : 6, "a" : 1, "c" : 1, "b" : 5 }`
- D. `{ "\\Jd" : 9, "a" : 17, "c" : 1, "b" : 1 }`
- E. `{ "\Jd" : 10, "a" : 3, "c" : 1, "b" : 1 }`
- F. `{ ".Jd" :: 2, "a" : 2, "c" :: 0, "b" : 1 }`
- G. `{ ".Jd" :: 4, "a" : 5, "c" :: 0, "b" : 17 }`
- H. `{ ".Jd" :: 1, "a" : 0, "c" :: 0, "b" : 2 }`



I. {".Jd" :: 5, "a": 3, "c" :: 0, "b": 12}

J. {".Jd" :: 8, "a": 11, "c": 1, "b": 0}

Correct Answer: DEFIJ

QUESTION 4

Consider the following document: > db.c.find()

```
{ "_id" : 12, b : [ 3, 5, 7, 2, 1, -4, 3, 12 ] }
```

Which of the following queries on the "c" collection will return only the first five elements of the array in the "b" field? E.g.,

Document you want returned by your query: { "_id" : 12, "b" : [3, 5, 7, 2, 1] >

A. db.c.find({ > , { b : { \$slice : [0 , 5] } } })

B. db.c.find({ b : [0 , 5] >)

C. db.c.find({ > , { b : { \$substr[0 , 5] > > } })

D. db.c.find({ > , { b : [0 , 1, 2, 3, 4, 5] > } })

E. db.c.find({ > , { b : [0 , 5] > } })

Correct Answer: A

QUESTION 5

Which of the tags in a replica set configuration specify the operations to be read from the node with the least network latency?

A. netLatency

B. secondaryPreferred

C. nearest

D. primaryPreferred

Correct Answer: C