



# C2010-530<sup>Q&As</sup>

IBM Maximo Asset Management V7.6 Infrastructure and Implementation

## Pass IBM C2010-530 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2010-530.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A company's DBA configured a database for Maximo using the default values from the Maximo Installation Guide. The Maximo administrator wishes to confirm the successful creation of the database and tablespaces.

How can this be achieved?

- A. Run the Validate\_Middleware utility and select only 'Database'.
- B. Run the Validate\_Middleware utility and select 'Database' and Tablespaces.
- C. Use SQL to check for existence of database mxedb and tablespaces MAXDATA, MAXTEMP and MAXIND.
- D. Use SQL to check for existence of database maxdb76 and tablespaces MAXDATA, MAXTEMP and MAXINDEX.

Correct Answer: A

---

### QUESTION 2

In the Organizations application, which action is used to define this?

- A. PM Options
- B. Asset Options
- C. Job Plan Options
- D. Work Order Options

Correct Answer: D

---

### QUESTION 3

A company wishes to create a custom dialog to display Domain values from an attribute in Maximo.

How can this be accomplished?

- A. In the Lookups application.
- B. In the Database Configuration application.
- C. By editing the Lookups.xml file from Application Designer.
- D. By editing the Lookup definition with Domains application.

Correct Answer: D

---

### QUESTION 4



A company has configured several application servers to handle specific tasks using UI cluster, Cron cluster and Integration cluster. A requirement is that certain Cron tasks do not run on the UI cluster and the Integration cluster.

What is one way to accomplished this?

- A. Add mxe.crontask.skip=[crontask name] to maximo properties file.
- B. Add mxe.crontask.donotrun=[crontask name] to maximo properties file.
- C. Add mxe.crontask.donotrun=[crontask name] to the crontask.properties file.
- D. On System Configuration -> Cron Task Setup, Select Action -> Reload Request, then uncheck "Run".

Correct Answer: D

---

#### QUESTION 5

A company is running the VMMSYNC Cron Task to add users to Maximo from the LDAP directory server. Not all the users are being created in Maximo. Which log setting can be defined to see more information?

- A. Set log4j.logger.maximo.sql.crontask.VMMSYNC to ERROR
- B. Set log4j.logger.maximo.sql.crontask.VMMSYNC to DEBUG
- C. Set log4j.logger.maximo.process.crontask.VMMSYNC to ERROR
- D. Set log4j.logger.maximo.process.crontask.VMMSYNC to DEBUG

Correct Answer: C

[C2010-530 VCE Dumps](#)

[C2010-530 Exam Questions](#)

[C2010-530 Braindumps](#)