



C2040-415^{Q&As}

Developing OpenSocial Applications

Pass IBM C2040-415 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2040-415.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Danica needs to consume an OpenSocial gadget in her IBM Notes Web application. The rendered page is generated from a Form design element.

What is the best way to add an OpenSocial gadget to her web-based Notes Form?

- A. Create a computedText field and make it a Pass thru-HTML text area. For the computed value enter the appropriate Javascript within . ,tags.
- B. Create a computedText field and make it a Pass thru-HTML text area and call @GetOpenSocialStream (URL;UserName;Password);.
- C. Create a Form text field and make it computed. For the computed value enter in @GetOpenSocialStream(URL;UserName;Password);.
- D. Create a computedText field and make it a Pass thru-HTML text area. For the computed value enter @AjaxRequest(URL;UserName;Password);.

Correct Answer: A

QUESTION 2

Why would a developer use DataPipelining for accessing IBM Connections social APIs?

- A. minifies the returned JSON object
- B. provides XML to JSON serialization
- C. reduces the number of client server requests
- D. enables easier debugging, pipelining logs to the console

Correct Answer: C

QUESTION 3

In order for users to render an OpenSocial gadget in IBM Notes or IBM iNotes, what is required in the Person document?

- A. The User id must be stored in the Person document.
- B. "Allow Foreign directory synchronization" field must be set to "Yes".
- C. "Format preference for incoming mail" field must be set to "Prefers Mime".
- D. "Internet Address" field must be populated with the user's Internet email address.

Correct Answer: A



QUESTION 4

Marco is creating an OpenSocial gadget that would retrieve and show dynamically created data. Which approach can result in performance improvement?

- A. Disable image pre-loading.
- B. Use Cache-Control HTTP header.
- C. Load all external content using Ajax.
- D. Deliver all resources from external domains.

Correct Answer: B

QUESTION 5

When creating an embedded OpenSocial gadget, which two data models are used?

- A. CSS
- B. XML
- C. HTML
- D. JSON
- E. JavaScript

Correct Answer: BD

[Latest C2040-415 Dumps](#)

[C2040-415 PDF Dumps](#)

[C2040-415 Brindumps](#)