



C2040-415^{Q&As}

Developing OpenSocial Applications

Pass IBM C2040-415 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2040-415.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Francois would like to build an OpenSocial gadget.

Why might Francois choose to use an OpenSocial Template for his gadget?

- A. OpenSocial Templates do not require well-formed XML which will save development time.
- B. OpenSocial Templates allow the developer to customize the gadget to a specific device and platform.
- C. OpenSocial Templates allow developers to easily build gadgets with relatively little or no JavaScript coding.
- D. OpenSocial Templates have built-in optimization that improves performance and response time to the end user.

Correct Answer: B

QUESTION 2

IBM Connections portlets use the REST Service Call Builder for HTTP requests to the Connections REST API.

When might a user see the error message "HTTP Status 403"?

- A. when there is a timeout
- B. when the Connections server is unavailable
- C. when the proxy is not allowing access to the URL
- D. when the REST Service call builder is unavailable

Correct Answer: C

QUESTION 3

When adding the embedded experience to the Activity data model, the embed property can be added to the event directly.

Which two properties are contained within embed object?

- A. actor and title
- B. content and type
- C. gadget and context
- D. summary and objectType

Correct Answer: C



QUESTION 4

Danica needs to consume an OpenSocial gadget in her IBM Notes Web application. The rendered page is generated from a Form design element.

What is the best way to add an OpenSocial gadget to her web-based Notes Form?

- A. Create a computedText field and make it a Pass thru-HTML text area. For the computed value enter the appropriate Javascript within . ,tags.
- B. Create a computedText field and make it a Pass thru-HTML text area and call @GetOpenSocialStream (URL;UserName;Password);.
- C. Create a Form text field and make it computed. For the computed value enter in @GetOpenSocialStream(URL;UserName;Password);.
- D. Create a computedText field and make it a Pass thru-HTML text area. For the computed value enter @AjaxRequest(URL;UserName;Password);.

Correct Answer: A

QUESTION 5

Maggie is fine-tuning her OpenSocial gadget to render on screen.

What type of interface is she building that involves the getCallback() method?

- A. timer MiniMessage
- B. Flash movie playback
- C. tabbed gadget interface
- D. status update to contact list

Correct Answer: B

[C2040-415 PDF Dumps](#)

[C2040-415 Study Guide](#)

[C2040-415 Brindumps](#)