



C2040-415^{Q&As}

Developing OpenSocial Applications

Pass IBM C2040-415 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2040-415.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Francois would like to build an OpenSocial gadget.

Why might Francois choose to use an OpenSocial Template for his gadget?

- A. OpenSocial Templates do not require well-formed XML which will save development time.
- B. OpenSocial Templates allow the developer to customize the gadget to a specific device and platform.
- C. OpenSocial Templates allow developers to easily build gadgets with relatively little or no JavaScript coding.
- D. OpenSocial Templates have built-in optimization that improves performance and response time to the end user.

Correct Answer: B

QUESTION 2

What is the Activity Stream Data (xe:activityStreamData) datasource used for?

- A. It uses a proprietary protocol for gathering IBM Connections Activity Streams.
- B. Its a datasource that converts an IBM Notes View into an open format activity stream.
- C. It is an open format specification for activity stream protocols which syndicate activities taken in social web application and services.
- D. It is a server-side JavaScript component added to an XPage. When rendered in the browser, anXSP.activityStreams is instantiated so client-side code can make GET requests to OpenSocial services.

Correct Answer: C

QUESTION 3

The MiniMessage library allows a developer to display a message window to a user.

Which is a valid message type?

- A. Default
- B. Custom
- C. Dynamic
- D. Dismissible

Correct Answer: D

QUESTION 4



A developer can only use which method to authorize users in an OpenSocial gadget?

- A. LTPA
- B. SAML
- C. OAuth
- D. basic authorization

Correct Answer: C

QUESTION 5

During the gadget registration for use by IBM Notes and IBM iNotes, the command NotesRegistrar.registerGadgets is used to register the gadget with IBM Connections.

Which command argument is used to indicate whether the gadget URLs should be generated with the HTTP or HTTPS protocol?

- A. secure
- B. protocol
- C. registersecure
- D. registerprotocol

Correct Answer: A

[Latest C2040-415 Dumps](#)

[C2040-415 PDF Dumps](#)

[C2040-415 Practice Test](#)