



C2040-423^{Q&As}

IBM WebSphere Portal 8.5 Solution Development

Pass IBM C2040-423 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2040-423.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which statements are true regarding predeployed portlet applications? (Choose two.)

- A. The policy is stored in the EAR file.
- B. The policy is stored in the portlet.xml file.
- C. The display name is assigned by the portal during EAR deployment.
- D. The display name is assigned by the EAR developer and stored in the application.xml file.
- E. The policy is stored in the WAR file and promoted to the EAR file by the portal during deployment.

Correct Answer: AD

The display name is assigned by the EAR developer and stored in the file application.xml.

The policy is stored in the EAR file.

You can register EAR files only by using an XML script with predeployed mode. You can remove EAR files by using either the administration portlet or an XML script.

The context root is assigned by the EAR developer and stored in the file application.xml. You must ensure that the context root that you specify when you register the portlet matches the one specified in the EAR application.xml. (refer to the

sample XML file RegisterPreDeployedEAR.xml.

The portlet application is already extracted and deployed into the application server as part of the EAR file.

The portal server reads the available portal configuration information (portlet.xml, etc.) from the location where the contained WAR file was extracted to.

QUESTION 2

Rudy wants to delete a portal page by using the Controller service provider interface (SPI).

He wrote the following code:

```
final Locator locator = cmController.getLocator(); final ContentPage page = (ContentPage)
locator.findByName("MyPage");
```

```
cmcontroller.delete(page);
```

How can he use this code to delete the page?

- A. This code alone will delete the page.
- B. There is not a delete method so this code is not valid.
- C. He needs to find the page by URL instead of UniqueName.



D. He needs to commit the controller to persist the modification.

Correct Answer: A

QUESTION 3

Which command is used to change the language during the navigational state in tags?

- A. SetLocale
- B. SetLanguage
- C. ChangeLocale
- D. ChangeLanguage

Correct Answer: D

QUESTION 4

Which two options are valid uses of the XML Configuration interface? (Choose two.)

- A. Install a portlet.
- B. Clone a skin module.
- C. Delete a shared library.
- D. Back up an IBM WebSphere Portal server configuration.
- E. Export all property files from a WebSphere Portal server.

Correct Answer: DE

QUESTION 5

Arthur needs to clean up cached user data from an object cache in IBM WebSphere Portal after the user's session is ended.

Which areas are valid to place Arthur's cleanup logic? (Choose two.)

- A. Implicit Login Filter Chain
- B. Explicit Login Filter Chain
- C. Implicit Logout Filter Chain
- D. Explicit Logout Filter Chain



E. Session Validation Filter Chain

Correct Answer: BE

[Latest C2040-423 Dumps](#)

[C2040-423 Study Guide](#)

[C2040-423 Exam Questions](#)