

C2090-011 Q&As

IBM SPSS Statistics Level 1 v2

Pass IBM C2090-011 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c2090-011.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

Which options are available to edit bar charts? (Choose three.)

- A. Changing patterns displayed in bars
- B. Changing the major increment on the Y axis scale
- C. Displaying data value labels
- D. Changing the variable displayed on the X axis

Correct Answer: ABC

QUESTION 2

Which variable name is correctly formed for use in an IBM SPSS Statistics data file?

- A. 3job_categories
- B. job_3_categories
- C. Respondents\\' age
- D. Employee safety
- Correct Answer: B

QUESTION 3

Consider two variables, my_income and my_spouses_income, in the dataset below. You created a third variable, total_income using the Compute Variable dialog and the following expression: total_income = my_income + my_spouses_income. True or false: the value for the 3rd case will be a system-missing value.



	- 🦛 💏 👪	📭 🗛 📲 🏥 🖪 🤃 🔳	
5 : my_spouses_ir	come	Visible: 2 of 2 Varial	bles
	my_income	my_spouses_income	
1	25000.00	42000.00	-
2	42000.00	28000.00	222
3	75000.00		
	- 205		

A. True

B. False

Correct Answer: A

QUESTION 4

The Date and Time Wizard can be used to do which operation? (Choose all that apply.)

A. Create a date/time variable from a string variable containing a date and time.

- B. Construct a date/time variable by merging variables containing different parts of the date or time.
- C. Add or subtract values from date/time variables, including add or subtracting two date/time variables.

D. Extract a part of a date or time variable.

Correct Answer: ABCD

QUESTION 5

If you build an expression manually, as opposed to using a function (e.g., specify (V1+V2)/2 instead of MEAN (V1, V2)), which statement is true?

A. If any of the variables used in the expression has a missing value, it will be ignored and the expression will proceed to evaluate with variables that have valid values.

B. It will always return a valid value for each case, regardless of whether one or more of the source variablevalues are missing.

C. If any of the variables used in the expression has a missing value, the result for that case is a system-missing value.



D. If any of the variables used in the expression has a missing value, you will get a notification pointing thisout before you proceed.

Correct Answer: C

C2090-011 PDF Dumps

C2090-011 Practice Test

C2090-011 Braindumps