



C2090-012^{Q&As}

IBM SPSS Modeler Data Analysis for Business Partners v2

Pass home C2090-012 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-012.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by home
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which node should be used if the user wanted to see the number of cases in each category for a variable of Categorical Measurement level?



A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

QUESTION 2

A prison system has historical data on prison inmates and wants to find what factors are related to recidivism (return to prison). What type of model would be used?

A. Segmentation model



- B. Classification model
- C. Association model
- D. Anomaly model

Correct Answer: B

QUESTION 3

The optimal binning method in the Binning node uses a Supervisor field to determine the binning cut points.

- A. True
- B. False

Correct Answer: A

QUESTION 4

Which node can be used to impute (estimate) missing values?

- A. Data Audit node
- B. Balance node
- C. Filler node
- D. Reclassify node

Correct Answer: A

QUESTION 5

Examine the Data Audit output shown below.



Field	Measurement	Outliers	Extremes	Action	Impute M...	Method	% Complete	Valid
ACCOM	Nominal	--	--		Never	Fixed	100	
COUNTRY	Nominal	--	--		Never	Fixed	100	
CUSTID	Nominal	--	--		Never	Fixed	100	
DIST_TO_BE	Continuous	1	0 None		Never	Fixed	100	
DOB	Nominal	--	--		Never	Fixed	100	
GENDER	Nominal	--	--		Never	Fixed	98.681	
HOLCODE	Nominal	--	--		Never	Fixed	100	
HOLCOST	Continuous	9	1 Discard		Never	Fixed	97.889	
NAME	Nominal	--	--		Never	Fixed	100	
NIGHTS	Continuous	0	0 Nullify		Never	Fixed	100	
NUMPARTY	Continuous	6	0 None		Never	Fixed	100	
POOL	Flag	--	--		Never	Fixed	100	
REGION	Nominal	--	--		Never	Fixed	100	
TRAVDATE	Nominal	--	--		Never	Fixed	100	

What action will occur in a generated Outlier and Extreme Super node for HOLCOST?

- A. Nine records will be set to the system missing (null) value for HOLCOST.
- B. Ten records will be deleted.
- C. Ten records will be set to the system missing (null) value for HOLCOST.
- D. Nine records will be deleted

Correct Answer: B

[Latest C2090-012 Dumps](#)

[C2090-012 Practice Test](#)

[C2090-012 Braindumps](#)