



C2090-012^{Q&As}

IBM SPSS Modeler Data Analysis for Business Partners v2

Pass home C2090-012 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-012.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by home
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The SetToFlag node creates separate flag fields for values of a categorical field. It must be followed by an Aggregate node in order to aggregate the flag fields on a grouping field such as transaction records grouped to customer\\'s records.

- A. True
- B. False

Correct Answer: B

QUESTION 2

A prison system has historical data on prison inmates and wants to find what factors are related to recidivism (return to prison). What type of model would be used?

- A. Segmentation model
- B. Classification model
- C. Association model
- D. Anomaly model

Correct Answer: B

QUESTION 3

Given the information below, which node would be used to produce the correlation statistic between the fields off peak_calls and weekend_calls?

Field	Measurement	Values
handset	Nominal	ASAD170,...
churn	Flag	Churned/...
peak_calls	Continuous	[0.0,1725.0]
peak_mins	Continuous	[0.0,2901]
offpeak_calls	Continuous	[0.0,647.0]
offpeak_mins	Continuous	[0.0,1146.0]
weekend_calls	Continuous	[0.0,124.0]
weekend_mins	Continuous	[0.0,205.0]
international_mins	Continuous	[0.0,1014]

- A. Matrix node
- B. Statistics node
- C. Histogram node




D. Means node

Correct Answer: B

QUESTION 4

Given the Type node shown below, what specifications are necessary to change all values outside the range 1 to 15 in field dropped calls to the undefined (\$null\$) value?



- A. Pass Values and Check action Nullify
- B. Specify Values Lower 1 and Upper 15 and Check action Nullify
- C. Specify Values Lower 1 and Upper 15 and Check action Discard
- D. Read Values and Check action Warn

Correct Answer: B

QUESTION 5

Which of the following types of nodes will have data flowing both in and out, when used in a stream?

- A. Record Ops
- B. Graphs



C. Export

D. Sources

Correct Answer: A

[C2090-012 PDF Dumps](#)

[C2090-012 VCE Dumps](#)

[C2090-012 Exam Questions](#)