



# C2090-012<sup>Q&As</sup>

IBM SPSS Modeler Data Analysis for Business Partners v2

**Pass home C2090-012 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-012.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by home  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which node can be used to easily generate a field that divides the data into subsamples for the Training and Testing stages of modeling?

- A. Sample
- B. Filler
- C. Balance
- D. Partition

Correct Answer: D

---

#### QUESTION 2

System undefined values (\$null\$) are automatically defined as blank (missing) values in IBM SPSS Modeler.

- A. True
- B. False

Correct Answer: B

---

#### QUESTION 3

Which node is used to read data from a comma delimited text file?

- A. Var. File
- B. Data Collection
- C. Fixed File
- D. Statistics File

Correct Answer: A

---

#### QUESTION 4

Which node should be used if the user wanted to see the number of cases in each category for a variable of Categorical Measurement level?



A.



B.



C.



D.



A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

### QUESTION 5

Given the information below, which node would be used to produce the correlation statistic between the fields off peak\_calls and weekend\_calls?



Field	Measurement	Values
▲ handset	Nominal	ASAD170,...
▲ churn	Flag	Churned/...
# peak_calls	Continuous	[0.0,1725.0]
# peak_mins	Continuous	[0.0,2901]
# offpeak_calls	Continuous	[0.0,647.0]
# offpeak_mins	Continuous	[0.0,1146.0]
# weekend_calls	Continuous	[0.0,124.0]
# weekend_mins	Continuous	[0.0,205.0]
# international_mins	Continuous	[0.0,1014]

- A. Matrix node
- B. Statistics node
- C. Histogram node
- D. Means node

Correct Answer: B

[C2090-012 Practice Test](#)

[C2090-012 Study Guide](#)

[C2090-012 Braindumps](#)