



C2090-320^{Q&As}

Apache Spark 1.6 Developer

Pass IBM C2090-320 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-320.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which of the following is NOT TRUE?

- A. An index can be created on XML columns
- B. Length must be specified for an XML column
- C. XML columns can be added to existing tables
- D. Triggers can be created on tables with XML columns

Correct Answer: D

QUESTION 2

Your current authorization ID is DBA. Only one of your secondary IDs, DB2, has the privilege to drop an existing index DB2.AAA on a table. The appropriate SQL statement is "DROP INDEX AAA".

Which of the following statements must precede the DROP statement so that it drops the index?

- A. SET CURRENT PATH = `DB2\`;
- B. SET CURRENT RULES = `DB2\`;
- C. No preceding statement is needed
- D. SET CURRENT SCHEMA = `DB2\`;

Correct Answer: D

QUESTION 3

Which type of lock is obtained when using a `WITH UR\` clause on an SQL SELECT statement in a data-sharing environment?

- A. U-lock
- B. S-lock
- C. P-lock
- D. No lock is obtained

Correct Answer: D

QUESTION 4



Which of the following SQL constructs does NOT provide information about the success or failure of the SQL statement that was just executed?

- A. SQLCA
- B. SQLDA
- C. SQLCODE
- D. SQLSTATE

Correct Answer: B

QUESTION 5

Which of the following programming techniques can be used to check for any error codes after executing an SQL statement?

- A. Declaring a cursor
- B. Using the WHENEVER statement
- C. Using DCLGEN to produce declarations for tables
- D. Dynamically executing a statement with parameter markers

Correct Answer: C

[Latest C2090-320 Dumps](#)

[C2090-320 Study Guide](#)

[C2090-320 Braindumps](#)