



# C2090-320<sup>Q&As</sup>

Apache Spark 1.6 Developer

**Pass IBM C2090-320 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-320.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which isolation level is described by the following?

The ISOLATION(..) option allows maximum concurrency with data integrity. Under the ISOLATION(..) option, a transaction holds locks only on its uncommitted changes and on the current row of each of its cursors.

- A. CS
- B. UR
- C. RR
- D. RS

Correct Answer: A

Reference: [https://www.ibm.com/support/knowledgecenter/en/SSEPEK\\_11.0.0/perf/src/tpc/db2z\\_isocs.html](https://www.ibm.com/support/knowledgecenter/en/SSEPEK_11.0.0/perf/src/tpc/db2z_isocs.html)

---

### QUESTION 2

Which component of the program preparation produces a DBRM (Database request Module)?

- A. Compiler
- B. Linkage Editor
- C. Bind command
- D. Precompiler/Coprocessor

Correct Answer: D

Reference: [https://www.ibm.com/support/knowledgecenter/en/SSGMGV\\_3.1.0/com.ibm.cics.ts31.doc/dfhtk/dfhtk20.htm](https://www.ibm.com/support/knowledgecenter/en/SSGMGV_3.1.0/com.ibm.cics.ts31.doc/dfhtk/dfhtk20.htm)

---

### QUESTION 3

Given the following: Which of the following occurs automatically when rows are deleted from POLICY\_INFO\_AET?



```
CREATE TABLE POLICY_INFO_AET  
(POLICY_ID CHAR(10) NOT NULL,  
COVERAGE INT NOT NULL);
```

```
CREATE TABLE POLICY_INFO_ARC  
(POLICY_ID CHAR(10) NOT NULL,  
COVERAGE INT NOT NULL);
```

```
ALTER TABLE POLICY_INFO_AET ENABLE ARCHIVE USE POLICY_INFO_ARC;
```

```
SET SYSIBMADM.MOVE_TO_ARCHIVE = 'Y';
```

\*\*\*

- A. The deleted rows are moved from POLICY\_INFO\_AET table to POLICY\_INFO\_ARC table
- B. The logically deleted rows are removed from POLICY\_INFO\_ARC table during the REORG
- C. The deleted rows are removed from both POLICY\_INFO\_AET and POLICY\_INFO\_ARC tables
- D. The deleted rows are moved from POLICY\_INFO\_AET table to POLICY\_INFO\_ARC table during the REORG

Correct Answer: D

#### QUESTION 4

Given the following CREATE VIEW statement and sample data; your login id is "ROGER". What will be the result for this query?

```
CREATE VIEW EMP_INFO_VW (EMPID, NAME, ACCESS) AS  
  SELECT EMPID, NAME, ACCESS  
  FROM EMP_INFO  
  WHERE ACCESS = CURRENT SQLID  
  WITH CASCADED CHECK OPTION;
```

TABLE DATA:

EMPID	NAME	ACCESS
1	Christine	ROGER
2	Puja	ROGERSMITH
3	Fred	ROGER
4	Roger	SROGER
5	Troy	RSMITH
6	Matt	ROGERM

```
SELECT COUNT(*) FROM EMP_INFO_VW;
```



- A. 6
- B. 5
- C. 4
- D. 2

Correct Answer: C

---

#### QUESTION 5

Which of the following describes OLTP workload rather than an analytics workload?

- A. Extreme data volume
- B. Temporary or intermediate staging of data
- C. Set-oriented processing and bulk operations
- D. A large number of short, discrete, atomic transactions

Correct Answer: D

Reference: <http://www.ibmbigdatahub.com/sites/default/files/document/IBM-Netezza-Understanding-Analytic-Workloads-eBook.pdf>

[C2090-320 VCE Dumps](#)

[C2090-320 Practice Test](#)

[C2090-320 Exam Questions](#)