C2090-424 Q&As

InfoSphere DataStage v11.3

Pass IBM C2090-424 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c2090-424.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which of the following will determine the running row number within a group?

A. Insert an Aggregator stage, hashing on the key column, prior to the Transformer stage

B. Use a Surrogate Key Generator stage to generate the running row number prior to the Transformer stage

C. Use a Remove Duplicates stage prior to the Transformer stage based on the key column, with the Duplicate set to retain = last option

D. Use a Sort stage prior to the Transformer stage based on the key break column. Then, use the LastRowinGroup() function to determine the last row in a group

Correct Answer: D

QUESTION 2

Consider a customer with multiple environments, Development, Test and Production. Which statement is TRUE?

A. Each environment must have a C++ compiler.

B. QualityStage rule sets are not a type of deployable asset.

C. It is not possible to revert to a previous version of a package.

D. A package can contain an improved version of a job which will replace the old one.

Correct Answer: B

QUESTION 3

Which of the following is an FTP Collection method?

A. Hash

B. Same

C. Random

D. Sort Merge

Correct Answer: D

QUESTION 4

In order to collect operational metadata, you must do which of the following?

A. Enable "Generate operational metadata" in the Execution tab of the job properties using the Designer client

B. Enable "Generate operational metadata" in the General tab of the project properties using the Director client

C. Enable "Record job performance data" in the General tab of the project properties using the Administrator client

D. Enable "Generate operational metadata" in the General tab of the Job Run Options dialog box in the Director client

Correct Answer: C

QUESTION 5

When you read or write to a sequential file, and wish to have a value be identified with DataStage as NULL, which of the following is the correct option?

A. Set format\\'s fill char option using the value

B. Set string type default option using the value

C. Set format\\'s null field value option using the value

D. Set $APT_IMPEXP_REJECT_NULLS using the value

Correct Answer: B

Latest C2090-424 Dumps   C2090-424 PDF Dumps   C2090-424 VCE Dumps