



C2090-424^{Q&As}

InfoSphere DataStage v11.3

Pass IBM C2090-424 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-424.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

By default, how much internal memory does the Sort use per partition?

- A. 10MB
- B. 20MB
- C. 25MB
- D. 30MB

Correct Answer: B

QUESTION 2

Which statement about looping in sequences is TRUE?

- A. The Start Loop stage only supports numeric loops
- B. Numeric loops must increment by one unless you supply a parameter
- C. The current loop counter value can be passed to the stages in the loop
- D. The compiler will insert an End Loop as the last stage in the sequence if one is omitted

Correct Answer: C

QUESTION 3

What is the primary advantage of creating data rules within Information Analyzer as opposed to creating them within the Data Rules stage?

- A. Data rules cannot be created within the Data Rules stage. They must first be created in Information Analyzer before they can be used in the Data Rules stage.
- B. Rules created within Information Analyzer can be tested and debugged on non-operational data in a testing environment before they are put into production.
- C. Rules created in the DataStage Data Rules stage have to be compiled into an executable form before they can be used.
- D. The variables in rules created in DataStage Data Rules stage must first be bound to data columns or literals before they can be run.

Correct Answer: B

QUESTION 4



What COBOL data type is defined by Decimal data within the Complex Flat File stage?

- A. COMP
- B. COMP-1
- C. COMP-2
- D. COMP-3

Correct Answer: C

QUESTION 5

Which of the following statements about checkpoint/restart is TRUE?

- A. The parallel framework does not support checkpoints inside jobs
- B. You must set the environment variable \$APT_DISABLE_COMBINATION to TRUE
- C. To perform checkpoint inside a parallel job, select the checkpoint option in each stage
- D. If the checkpoint/restart is turned on for a sequence job, all components of this sequence job must perform checkpoint recording

Correct Answer: A

[C2090-424 VCE Dumps](#)

[C2090-424 Practice Test](#)

[C2090-424 Exam Questions](#)