



C2090-600^{Q&As}

IBM DB2 11.1 DBA for LUW

Pass IBM C2090-600 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-600.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What is the schema name of the DB2 built-in global variable TRUSTED_CONTEXT?

- A. SYSIBM
- B. SYSFUN
- C. SYSCAT
- D. SYSIBMADM

Correct Answer: A

QUESTION 2

When operating in NPS compatibility mode, which of the following are limitations for using a routine written in NZPLSQL? (Choose two.)

- A. The routine cannot contain comments.
- B. The routine must return either an integer or a null.
- C. The routine must be cross-compatible with Oracle PL/SQL syntax rules.
- D. The routine cannot contain argument lists or variable arguments (varargs).
- E. The routine must be generated with IBM Database Conversion Workbench (DCW).

Correct Answer: BD

QUESTION 3

Which of the following are valid Explain operators? (Choose two.)

- A. CTQ
- B. XSCAN
- C. IXSCAN
- D. SELECT
- E. COLSCAN

Correct Answer: BC

QUESTION 4



Which statement regarding event monitors is TRUE?

- A. Event monitor data can be reviewed while the event monitor is active
- B. Event monitors must always be started manually after activating a database
- C. Event monitors must write data to .EVT files before the data can be loaded into database tables
- D. Event monitors are used to obtain information about how a database system looks at a specific point in time

Correct Answer: B

QUESTION 5

How would you enable self-tuning of memory areas that are controlled by memory configuration parameters?

- A. Set the DB2_WORKLOAD aggregate registry variable to ANALYTICS for self-tuning of the sort parameter on workloads that access column-organized tables.
- B. Set the SELF_TUNING_MEM database configuration parameter to ON using the UPDATE DATABASECONFIGURATION command or the db2CfgSet API.
- C. Set the sortheap or the sheapthres_shr configuration parameters to AUTOMATIC using the UPDATE DATABASE CONFIGURATION command or the db2CfgSet API with sheapthres set to at least 4K.
- D. Use AUTOMATIC keyword for the buffer pool size on the CREATE BUFFERPOOL statement or the ALTER BUFFERPOOL statement after making sure that at least one entry is present in SYSCAT.BUFFERPOOLDBPARTITIONS.

Correct Answer: B

[C2090-600 VCE Dumps](#)

[C2090-600 Study Guide](#)

[C2090-600 Braindumps](#)