



C2090-600^{Q&As}

IBM DB2 11.1 DBA for LUW

Pass IBM C2090-600 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-600.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

How would you enable self-tuning of memory areas that are controlled by memory configuration parameters?

- A. Set the DB2_WORKLOAD aggregate registry variable to ANALYTICS for self-tuning of the sort parameter on workloads that access column-organized tables.
- B. Set the SELF_TUNING_MEM database configuration parameter to ON using the UPDATE DATABASECONFIGURATION command or the db2CfgSet API.
- C. Set the sortheap or the sheapthres_shr configuration parameters to AUTOMATIC using the UPDATE DATABASE CONFIGURATION command or the db2CfgSet API with sheapthres set to at least 4K.
- D. Use AUTOMATIC keyword for the buffer pool size on the CREATE BUFFERPOOL statement or the ALTER BUFFERPOOL statement after making sure that at least one entry is present in SYSCAT.BUFFERPOOLDBPARTITIONS.

Correct Answer: B

QUESTION 2

Which is the correct way to back up only metadata about database backups, table space backups, and table load operations for database MYDB?

- A. CONNECT TO mydbPRUNE HISTORY TO /outdir
- B. db2trc on -db mydb -m "backup,load"run the desired operationsdb2tc dump db2trc.dmpdb2tc format db2tc.dmp db2tc.fmtdb2tc off
- C. BACKUP DATABASE mydb NO TABLESPACE TO /outdir
- D. db2setDB2_BCKP_PAGE_VERIFICATION=TRUE must be issued first (no instance restart is needed).Run the desired operations.Afterwards, issue db2trc dump

Correct Answer: B

QUESTION 3

On Linux and Unix systems, which of the following will set the DB2_FMP_COMM_HEAPSZ registry variable to 1 GB (or 256000 pages), only for the instance db2inst1?

- A. As the db2 instance owner (db2inst1) execute the command:exportDB2_FMP_COMM_HEAPSZ=256000
- B. Add to the following line to the userprofile (db2inst1): DB2_FMP_COMM_HEAPSZ=256000
- C. As the db2 instance owner (db2inst1) execute the command:db2set ? DB2_FMP_COMM_HEAPSZ=256000
- D. As the db2 instance owner (db2inst1)execute the command:db2set ? db2inst1 DB2_FMP_COMM_HEAPSZ=256000

Correct Answer: C



QUESTION 4

When operating in NPS compatibility mode, which of the following are limitations for using a routine written in NZPLSQL? (Choose two.)

- A. The routine cannot contain comments.
- B. The routine must return either an integer or a null.
- C. The routine must be cross-compatible with Oracle PL/SQL syntax rules.
- D. The routine cannot contain argument lists or variable arguments (varargs).
- E. The routine must be generated with IBM Database Conversion Workbench (DCW).

Correct Answer: BD

QUESTION 5

When querying the MON_GET_TABLESPACE table function, the values for many of the performance metrics like POOL_DATA_P_READS and POOL_DATA_L_READS are showing 0, even though there is activity occurring in the database. Which command must be executed to enable the table function to return actual data?

- A. UPDATE DB CFG USING MON_OBJ_METRICS BASE
- B. UPDATE DB CFG USING MON_ACT_METRICS BASE
- C. UPDATE DBM CFG USING DFT_MON_BUFPOOL ON
- D. UPDATE MONITOR SWITCHES USING BUFFERPOOL ON

Correct Answer: C

[C2090-600 Practice Test](#)

[C2090-600 Exam Questions](#)

[C2090-600 Braindumps](#)