



C2090-600^{Q&As}

IBM DB2 11.1 DBA for LUW

Pass IBM C2090-600 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-600.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which statement about the db2move command is TRUE?

- A. The LOAD actions can be run from a client machine.
- B. Object ownership cannot be changed after a successful schema copy operation.
- C. Tables containing GENERATED ALWAYS identity columns can be imported or loaded.
- D. Loading data into tables containing XML columns is only supported for the LOAD actions.

Correct Answer: D

QUESTION 2

You receive a large data file that contains large object data values that need to be copied into a table in the shortest amount of time possible. Which utility should be used?

- A. LOAD
- B. INGEST
- C. IMPORT
- D. TRANSPORT

Correct Answer: C

QUESTION 3

Which statement about NOT ENFORCED unique constraints is TRUE?

- A. NOT ENFORCED unique constraints can not be defined on primary key columns
- B. The query optimizer will consider a NOT ENFORCED unique constraint when selecting an optimal data access plan
- C. When attempting to insert data that does not conform to a NOT ENFORCED unique constraint, an warning will be returned
- D. Storage requirements for a NOT ENFORCED unique constraint are no different than the storage requirements for a similar unique index

Correct Answer: A

QUESTION 4

Which command can be used to view the configured global registry settings for all installed DB2 copies found on a Linux server?



- A. db2val
- B. db2set
- C. db2look
- D. db2greg

Correct Answer: B

QUESTION 5

On Linux and Unix systems, which of the following will set the DB2_FMP_COMM_HEAPSZ registry variable to 1 GB (or 256000 pages), only for the instance db2inst1?

- A. As the db2 instance owner (db2inst1) execute the command: export DB2_FMP_COMM_HEAPSZ=256000
- B. Add to the following line to the userprofile (db2inst1): DB2_FMP_COMM_HEAPSZ=256000
- C. As the db2 instance owner (db2inst1) execute the command: db2set ? DB2_FMP_COMM_HEAPSZ=256000
- D. As the db2 instance owner (db2inst1) execute the command: db2set ? db2inst1 DB2_FMP_COMM_HEAPSZ=256000

Correct Answer: C

[Latest C2090-600 Dumps](#)

[C2090-600 PDF Dumps](#)

[C2090-600 Braindumps](#)