



# C2090-622<sup>Q&As</sup>

IBM Cognos 10 BI Administrator

**Pass IBM C2090-622 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-622.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

When the default active Content Manager fails, which of the following occurs?

- A. The system automatically activates all standby Content Managers, and spreads the load of requests based on the Weighted Round Robin load balancing mode.
- B. The system automatically activates all standby Content Managers and spreads the load of requests across them all.
- C. The system automatically switches to a standby Content Manager, and requests are directed to it.
- D. Users are prompted to rerun failed requests on the initial Content Manager once it is back on line.

Correct Answer: C

There are 2 load balanced report servers.

The dispatcher on Computer X has the following characteristics:

RAM: 1024 MB  
CPU: Dual P4 1.5 Ghz  
Hard drive: 80 GB

The dispatcher on Computer Y has the following characteristics:

RAM: 2048 MB  
CPU: Dual P4 3.8 Ghz  
Hard drive: 80 GB

What would an administrator set the processing capacity on Computer Y to?

- A. 1
  - B. 2
  - C. 4
  - D. 8
- 

### QUESTION 2

When a namespace is no longer used for authentication, what must the administrator do to permanently remove it from the content store?

- A. Delete the namespace in IBM Cognos Administration, and then delete it in Cognos Configuration.
- B. Delete the namespace in IBM Cognos Configuration only.
- C. Delete the namespace in IBM Cognos Configuration, and then delete it in IBM Cognos Administration.



D. Delete the namespace in IBM Cognos Administration only.

Correct Answer: C

### QUESTION 3

Which system metric for the Report Service would the administrator set as having a performance pattern of "Low values are good"?

- A. Queue length high watermark
- B. Percentage of successful requests
- C. Number of successful requests
- D. Successful requests perminute

Correct Answer: A

### QUESTION 4

Which statement is true about the definition of the Application tier?

- A. The Application tier hosts the dispatcher and content manager that reside in a servlet container.
- B. The Application tier hoststhe dispatcher, which includes the IBM Cognos Application Firewall and Access Manager.
- C. The Application tier hosts the BI server and the content store.
- D. The Application tier hosts the content manager, which contains data such as a report specification, IBM Cognos namespace, and so on.

Correct Answer: B

Below is a partial diagram of the processing that occurs when a user launches saved output in IBM Cognos Connection and views it in IBM Cognos Viewer.



At the level of the dispatcher, which of the IBM Cognos BI services is used to process the request?

- A. Report service
- B. Presentation service
- C. Batch report service



D. Delivery service

---

#### QUESTION 5

At what level should the logging be set to capture the following set of details? user account management and runtime usage of IBM Cognos BI, use requests, and service requests and responses.

- A. Trace
- B. Basic
- C. Request
- D. Minimal

Correct Answer: C

[C2090-622 VCE Dumps](#)

[C2090-622 Practice Test](#)

[C2090-622 Braindumps](#)