



# C2090-622<sup>Q&As</sup>

IBM Cognos 10 BI Administrator

**Pass IBM C2090-622 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-622.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





#### QUESTION 1

What can an administrator create to ensure that multiple users do not have to enter database credentials when they run reports?

- A. Signon
- B. Single signon
- C. Collation sequence
- D. Connection sequence

Correct Answer: A

---

#### QUESTION 2

Under what circumstances would full logging level be most appropriately used?

- A. Whenever users cannot access the data.
- B. Whenever detailed troubleshooting is required.
- C. Whenever more than one dispatcher has been configured.
- D. Whenever the default configuration for logging has been changed.

Correct Answer: B

---

#### QUESTION 3

To administer the contents of namespaces, the administrator must be a member of which predefined role?

- A. Report Administrators
- B. Server Administrators
- C. Directory Administrators
- D. System Administrators

Correct Answer: C

---

#### QUESTION 4

Which statement describes IBM Cognos BI architecture?

- A. Communication between components is SOAP on HTTP Protocol.



- B. The BIBus is the communication tier of the IBM Cognos BI architecture.
- C. The two-tiered architecture is component based and typically separated by firewalls.
- D. The content manager consists of a set of protocols governing communication among IBM Cognos BI services.

Correct Answer: A

#### QUESTION 5

When the default active Content Manager fails, which of the following occurs?

- A. The system automatically activates all standby Content Managers, and spreads the load of requests based on the Weighted Round Robin load balancing mode.
- B. The system automatically activates all standby Content Managers and spreads the load of requests across them all.
- C. The system automatically switches to a standby Content Manager, and requests are directed to it.
- D. Users are prompted to rerun failed requests on the initial Content Manager once it is back online.

Correct Answer: C

There are 2 load balanced report servers.

The dispatcher on Computer X has the following characteristics:

RAM: 1024 MB  
CPU: Dual P4 1.5 Ghz  
Hard drive: 80 GB

The dispatcher on Computer Y has the following characteristics:

RAM: 2048 MB  
CPU: Dual P4 3.8 Ghz  
Hard drive: 80 GB

What would an administrator set the processing capacity on Computer Y to?

- A. 1
- B. 2
- C. 4
- D. 8