



# C2090-623<sup>Q&As</sup>

IBM Cognos Analytics Administrator V11

**Pass IBM C2090-623 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-623.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which component stores and retrieves application data, including report specifications, report output, security, and configuration data?

- A. Gateway
- B. Dispatcher
- C. Content Manager
- D. Presentation service

Correct Answer: C

The Content Manager service: Performs object manipulation functions in the content store, such as add, query, update, delete, move, and copy Performs content store management functions, such as import and export To make printers available to users when they distribute reports, you can create entries for printers and save them in the IBM Cognos content store.

Incorrect Answers:

B: The dispatcher is the entry point for IBM Cognos service requests sent by a Web server gateway or other software. The dispatcher handles the routing requests and balances the load of user requests to the various IBM Cognos services.

D: The Presentation service: Transforms generic XML responses from another service into output format, such as HTML or PDF Provides display, navigation, and administration capabilities in IBM Cognos Connection

References: IBM Cognos Administration Version 10.1.0, Administration and Security Guide, page 139

---

### QUESTION 2

Which attribute can an administrator enable to prevent malicious scripts from reading or manipulating the CAM passport cookie during a user's session with their Web browser?

- A. cc\_session
- B. userCapabilities
- C. Secure flag enabled?
- D. Enable CAF validation?

Correct Answer: B

The userCapabilities cookie, with the Session temporary type, contains all capabilities and the signature for the current user.

Incorrect Answers:

A: The cc\_session cookie just holds session information



References: [https://www.ibm.com/support/knowledgecenter/en/SSEP7J\\_11.0.0/com.ibm.swg.ba.cognos.inst\\_cr\\_winux.doc/c\\_configurewebbrowsers.html](https://www.ibm.com/support/knowledgecenter/en/SSEP7J_11.0.0/com.ibm.swg.ba.cognos.inst_cr_winux.doc/c_configurewebbrowsers.html)


### QUESTION 3

To monitor performance, an administrator has set thresholds on a system metric and notices that over time, the metric score has changed from green, to yellow, to red, and then back to yellow. Which system metric is the administrator monitoring?

- A. Dispatcher: JVM: Current heap size
- B. ContentManageService: Request: Number of failed requests
- C. ReportService: Process: Number of processes high watermark
- D. BatchReportService: Request: Percentage of successful requests

Correct Answer: B

Figure: A detailed view showing the status of individual system metrics for a service



References: [https://www.ibm.com/developerworks/data/library/cognos/infrastructure/cognos\\_specific/page589.html](https://www.ibm.com/developerworks/data/library/cognos/infrastructure/cognos_specific/page589.html)

### QUESTION 4

An administrator needs to ensure that users do not have to enter/select Database credentials when running reports.

What must a datasource have in order to accomplish this?

- A. No signon available to the users.



- B. Only one signon available to the users through permissions.
- C. At least one signon available to the users through permissions.
- D. More than one signon available to the users through permissions.

Correct Answer: C

You add signons to data source connections so that users do not have to enter database credentials when they run reports.

References: [https://www.ibm.com/support/knowledgecenter/en/SSEP7J\\_11.0.0/com.ibm.swg.ba.cognos.ug\\_cra.doc/c\\_datasources.html](https://www.ibm.com/support/knowledgecenter/en/SSEP7J_11.0.0/com.ibm.swg.ba.cognos.ug_cra.doc/c_datasources.html)

---

### QUESTION 5

An administrator is managing authentication namespaces and needs to delete a namespace.

Which statement is true?

- A. To recreate a namespace that was previously deleted in IBM Cognos Configuration, a unique ID must be used.
- B. After a namespace has been deleted in IBM Cognos Configuration, it no longer appears in the directory tool.
- C. An inactive namespace in the directory tool is one that was configured, but later deleted in IBM Cognos Configuration.
- D. If a namespace is deleted in IBM Cognos Configuration and is no longer required, any authenticated member of the namespace can delete it permanently in the directory tool.

Correct Answer: D

When you delete a namespace, you can no longer log on to the namespace. Security data for the namespace remains in Content Manager until you permanently delete it in the portal.

References: [https://www.ibm.com/support/knowledgecenter/en/SSEP7J\\_11.0.0/com.ibm.swg.ba.cognos.inst\\_cr\\_winux.doc/t\\_deleteanauthenticationprovider.html](https://www.ibm.com/support/knowledgecenter/en/SSEP7J_11.0.0/com.ibm.swg.ba.cognos.inst_cr_winux.doc/t_deleteanauthenticationprovider.html)

[C2090-623 VCE Dumps](#)

[C2090-623 Practice Test](#)

[C2090-623 Brindumps](#)