



C2090-623^{Q&As}

IBM Cognos Analytics Administrator V11

Pass IBM C2090-623 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-623.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An administrator wants to use one of the sample audit reports to view the percentage of successful and failed requests for the current day.

What must be done before they can successfully run this report?

- A. Set the logging level for the sample report to Minimal.
- B. Create a datasource connection to the logging database.
- C. Modify the report so that it can be displayed correctly in HTML and PDF formats.
- D. Import the Audit.cpf into the Content Store using the IBM Cognos Administration console.

Correct Answer: B

Before you can create audit reports or use the sample audit reports that come with IBM Cognos software, you must set up audit reporting.

Direct log messages to a database.

Set up a logging database and configure log messages to be sent to the database.

Set the logging level for audit reports.

For audit reporting, set the logging level to Basic (auditing enabled) or Request. If you set the logging level to Minimum, auditing is disabled. Use Full logging and Trace levels only for detailed troubleshooting purposes, under the guidance of Customer Support. They may significantly degrade server performance.

Enable native query logging

Incorrect Answers:

A: If you set the logging level to Minimum, auditing is disabled.

References: IBM Cognos Administration Version 10.1.0, Administration and Security Guide, page 107

QUESTION 2

An administrator is implementing security by managing and working with the Cognos namespace. Which statement is true?

- A. To gain access to IBM Cognos Analytics, users can log on to the Cognos namespace.
- B. Create domain users in the Cognos namespace to avoid cluttering the existing authentication provider.
- C. User-defined groups and roles must be created in a 3rd-party authentication provider and cannot be created in the Cognos namespace.



D. Although the use of the predefined and built-in groups and roles within the Cognos namespace is optional, the Cognos namespace cannot be deleted.

Correct Answer: D

The Cognos namespace includes predefined objects to help you quickly set up initial security.

You use the predefined objects and other features of the Cognos namespace for ongoing security management.

You can create groups and roles in the Cognos namespace.

Initial access permissions are applied to all predefined objects. You can modify the permissions from the object properties.

References: https://www.ibm.com/support/knowledgecenter/en/SSEP7J_11.0.0/com.ibm.swg.ba.cognos.ag_manage.doc/c_ca_cognos_namespace.html

QUESTION 3

In a LifeCycle Manager Project, a user can create either a Benchmark task or a Comparison task. Which statement is INCORRECT when describing the application of Benchmark tasks?

- A. Benchmark tasks can be used as a benchmark test for any LifeCycle Manager Project.
- B. Benchmark tasks can be used to create a benchmark test to run Compatible Query Mode (CQM) reports as Dynamic Query (DQ) reports.
- C. When creating a Benchmark task, the administrator can choose whether to validate reports before they are run, and whether to run the reports in Dynamic Query Mode (DQM).
- D. To use a previously run Benchmark, select a previously created Benchmark task for the benchmark source and the target Cognos server that you want to compare to the benchmark.

Correct Answer: C

Incorrect Answers: B: You can run CQM reports in DQM in a Lifecycle Manager project as part of the CQM to DQM migration validation.

D: Users can compare live Cognos environments, or static files using previously saved Benchmark tasks. Benchmark allows you to create a point-in-time snapshot and use that as a baseline comparison.

Note: Lifecycle Manager is a stand-alone application that helps validate and compare report outputs within a single environment, between environments or between different versions of Cognos.

References: <https://www.ibm.com/communities/analytics/cognos-analytics-blog/cognos-lifecycle-managerenhancements-in-11-0-4/>

QUESTION 4



An administrator is managing authentication namespaces and needs to delete a namespace.

Which statement is true?

- A. To recreate a namespace that was previously deleted in IBM Cognos Configuration, a unique ID must be used.
- B. After a namespace has been deleted in IBM Cognos Configuration, it no longer appears in the directory tool.
- C. An inactive namespace in the directory tool is one that was configured, but later deleted in IBM Cognos Configuration.
- D. If a namespace is deleted in IBM Cognos Configuration and is no longer required, any authenticated member of the namespace can delete it permanently in the directory tool.

Correct Answer: D

When you delete a namespace, you can no longer log on to the namespace. Security data for the namespace remains in Content Manager until you permanently delete it in the portal.

References: https://www.ibm.com/support/knowledgecenter/en/SSEP7J_11.0.0/com.ibm.swg.ba.cognos.inst_cr_winux.doc/t_deleteanauthenticationprovider.html

QUESTION 5

An administrator is configuring settings for the Cognos Analytics Mobile app. Which settings can be managed?

- A. To store the user credentials in the IBM Cognos Mobile app.
- B. The maximum number of minutes to store cached credentials.
- C. Allow the user to create an image (screenshot) of the Active Report.
- D. The maximum number of Active Reports to store locally on the mobile device.

Correct Answer: B

Policy settings These settings define how to deliver Cognos Analytics content to mobile applications. Maximum number of hours to store cached credentials

If you do not want to store credentials on a device, type 0. To store credentials on a device, type any value that is greater than the current timeout setting for IBM Cognos Analytics. As long as users are logged on, they will have access to their cached credentials. Value: 0 to 8760 Default: 0 Maximum number of pages to store for each report Maximum number of days to store a report Maximum number of hours between runs of the source and target reports Permission to share report screen captures

References: https://www.ibm.com/support/knowledgecenter/en/SSEP7J_11.0.0/com.ibm.swg.ba.cognos.ug_cra.doc/c_mob_global_config_settings.html

[C2090-623 PDF Dumps](#)

[C2090-623 VCE Dumps](#)

[C2090-623 Practice Test](#)