



C2090-623^{Q&As}

IBM Cognos Analytics Administrator V11

Pass IBM C2090-623 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-623.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An administrator is operating in a hybrid operating systems environment, trying to establish a datasource connection. The compatible portion succeeds, however, the JDBC portion failed with following error: XQEJDB-0004 A problem occurred finding the driver class "com.microsoft.sqlserver.jdbc.SQLServerDriver". What is the possible cause for this error?

- A. 32-bit client driver installed
- B. 64-bit client driver installed
- C. missing gateway URI configuration
- D. unsupported driver version installed

Correct Answer: C

QUESTION 2

A user has been given administration capabilities to manage tasks without going into the IBM Administration console.

Which of the following options can be performed? (Choose two.)

- A. Importing and exporting specific folder content.
- B. Creating or modifying a Datasource Connection.
- C. Adding new groups and folder to the Cognos namespace.
- D. Adding a new contact and distribution list to the Cognos namespace.
- E. Viewing past and upcoming scheduled jobs and reports and what is currently running.

Correct Answer: AE

QUESTION 3

An administrator needs to add users from multiple authentication providers to a single role. What needs to be done?

- A. Log on to each of the namespaces before starting.
- B. Add external namespaces to the Cognos namespace manually.
- C. Add the users to a Cognos group, then add the group to the Cognos role.
- D. Import the users to the Cognos namespace first, then add the users to the Cognos role.

Correct Answer: B



In the Cognos Analytics user interface, authentication providers are represented by namespaces. Cognos Analytics supports the following types of authentication providers: Active Directory Custom Java Provider IBM Cognos Series 7 LDAP OpenID Connect SAP SiteMinder

Authentication providers are configured in IBM Cognos Configuration, under the Security > Authentication category. After the provider namespace is added there, and the IBM Cognos service is restarted, the namespace name is displayed in Manage > Accounts, and users can log on to Cognos Analytics using that namespace.

References: https://www.ibm.com/support/knowledgecenter/en/SSEP7J_11.0.0/com.ibm.swg.ba.cognos.ag_manage.doc/c_ca_external_namespaces.html

QUESTION 4

Where can uploaded visualizations within the IBM Cognos Administration console be managed?

- A. Library tab
- B. Security tab
- C. Configuration tab
- D. Visualization tab

Correct Answer: A

Open the Cognos Analytics `Welcome` page and select the `Manage` tab. Proceed to click `Administration console`.

Within IBM Cognos Administration, select the `Library` tab.

On the left hand side within the `Library` tab, click the `Visualizations` tab. Select `Import Visualizations` or `Export Visualizations`.

References: <http://www-01.ibm.com/support/docview.wss?uid=swg21993750>

QUESTION 5

An administrator is evaluating system status using the Scorecard pane on the Status > System page in the IBM Cognos Administration console.

Which statement is true?

- A. If a service is disabled in IBM Cognos Configuration, it is listed in the Scorecard pane.
- B. The status that is displayed for each entry reflects the lowest status for all child entries.
- C. A status of Available is displayed when at least 80% of the child entries have a status of Available.
- D. A status of Unavailable is displayed when at least 80% of the child entries have a status of Unavailable.



Correct Answer: B

The metric score for each entry is based on the performance of individual child entries. The status that is displayed for each entry is the lowest status of the child entries. For example, if all the metrics for a dispatcher are good, but one service on that dispatcher has a poor metric, the metric score shown for the dispatcher is poor.

Status is one of the following: Available if all components are available Partially available if at least one component is available and at least one component is unavailable or partially unavailable. Unavailable if all components are unavailable

References: https://www.ibm.com/support/knowledgecenter/SSEP7J_11.0.0/com.ibm.swg.ba.cognos.ug_cra.doc/c_panes_system_status_page.html

[Latest C2090-623 Dumps](#)

[C2090-623 VCE Dumps](#)

[C2090-623 Exam Questions](#)