



C2090-645^{Q&As}

IBM Cognos 10 BI Multidimensional Author

Pass IBM C2090-645 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2090-645.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center


- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Based on the diagram,



if the expression firstSibling([2006 Q 1]) is used in the report, what item will be returned?

- A. 2005 Q 1
- B. 2006 Q 4
- C. 2006 Q 1
- D. Nothing, because the return value equals the parameter

Correct Answer: C

QUESTION 2

A reportauthor creates a crosstab as shown.

Revenue	2006/Oct	2006/Nov
	Gross profit	Gross profit
Camping Equipment	16,036,220.15	14,645,031.27
Mountaineering Equipment	5,371,849.26	5,144,144.69

What is the default measure of the report?

- A. Mountaineering Equipment
- B. Camping Equipment
- C. Gross profit
- D. Revenue

Correct Answer: D



QUESTION 3

When would a report author define a set?

- A. To create a slicer to focus on a specific number of years of data in a report.
- B. To change the crosstab node member properties for a level.
- C. To use as a summaryfunction to return the total of the specified members.
- D. To return members from different hierarchies of the same dimension.

Correct Answer: A

QUESTION 4

A report author uses the following expression: lastPeriods(3,[2007/Mar]). What data will be returned when the report is run?

- A. The last 3 months before 2007/Mar
- B. 3 months, including 2007/Mar and the preceeding 2 months
- C. The total of currentMeasure for 3 months including 2007/Mar and the preceeding 2 months
- D. The month March of each of the 3 years 2005, 2006, and 2007

Correct Answer: B

QUESTION 5

What is the default behavior when drilling down on an edge in a crosstab report?

- A. The level drilled on is replaced with the entire level below it.
- B. The edge expression is replaced with the children of the item drilled on.
- C. All edge expressions of the crosstab are replaced with their children.
- D. The edge expression is changed to another item in the query.

Correct Answer: B

[C2090-645 VCE Dumps](#)

[C2090-645 Exam Questions](#)

[C2090-645 Braindumps](#)