



# C2150-624<sup>Q&As</sup>

IBM Security QRadar Risk Manager V7.2.6 Administration

**Pass IBM C2150-624 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c2150-624.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An IBM Security QRadar SIEM V7.2.8 Administrator is implementing a retention policy of flows and events.

The retention buckets are sequenced in priority order from the top row to the bottom row.

What happens if a record does not match any of the configured retention buckets?

- A. The record is dropped and is not stored
- B. The record is stored in the default retention bucket
- C. The record is stored in a raw format inside /default partition
- D. The record is stored in any of the available retention buckets

Correct Answer: B

---

### QUESTION 2

When migrating the Console after restoring from an IBM Security QRadar SIEM V7.2.8 backup, what must be manually copied?

- A. The Connection data and Topology data
- B. The Policy Monitor questions and event or flow data
- C. The QRadar Risk Manager device configurations and Topology data
- D. The certificates, any custom generated private keys and event or flow data

Correct Answer: D

---

### QUESTION 3

An Administrator working with IBM Security QRadar SIEM V7.2.8 has updated the date/time on the QRadar console system and wants to update these date/time settings to all his hosts in the distributed environment.

What command should be run?

- A. `/opt/qradar/bin/datesync_all_servers.sh`
- B. `/opt/qradar/support/all_servers.sh /opt/qradar/bin/time_sync.sh`



C. /opt/qradar/support/fullDeployment.sh /opt/qradar/bin/time\_sync.sh

D. /opt/qradar/support/all\_servers.sh /opt/qradar/bin/check\_date\_change.sh

Correct Answer: B

To run time synchronization on all hosts and see if any fail to synchronize with the Console, from the root directory (/) type the following command: `./opt/qradar/support/all_servers.sh "/opt/qradar/bin/time_sync.sh"`

---

#### QUESTION 4

What is needed to send the same events and flows to separate data centers or geographically separate sites and enable data redundancy in IBM Security QRadar SIEM V7.2.8?

- A. A Flashcopy or GlobalMirror License.
- B. A dark fibre network and proper configuration of the backup and recovery feature.
- C. A load balancer or other method to deliver the same data to mirrored appliances.
- D. Use the Backup and Recovery automation feature in QRadar and a dedicated fiber channel connection.

Correct Answer: C

Distribute the same event and flow data to two live sites by using a load balancer or other method to deliver the same data to mirrored appliances. Each site has a record of the log data that is sent.

---

#### QUESTION 5

When an IBM Security QRadar SIEM V7.2.8 distributed deployment requires scaling horizontally to achieve Event per Second (EPS) requirements, what QRadar Component needs to be added to meet the EPS demands?

- A. Event Manager
- B. Event Indexing
- C. Event Collector
- D. Event Processor

Correct Answer: D