



# C4040-252<sup>Q&As</sup>

Power Systems with POWER8 Enterprise Technical Sales Skills V1

**Pass IBM C4040-252 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/C4040-252.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A client is evaluating POWER8 relative to x86 for a big data and analytics solution. They want to determine the lowest cost option.

What could be used to provide a financial analysis?

- A. Eagle TCO Engagement
- B. IBM Workload Estimator
- C. Scorpion Study
- D. IBM eConfig

Correct Answer: A

---

### QUESTION 2

What feature of the POWER7 processor design allows the system to recover from soft or transient errors in the processor core?

- A. First Failure Data Capture
- B. Processor Instruction Retry
- C. Single Processor Checkstop
- D. Alternate Processor Recover

Correct Answer: B

---

### QUESTION 3

A client needs assistance with managing virtual machines and energy monitoring. The client is considering implementing Systems Director.

At a minimum, which edition of Systems Director would be needed?

- A. Basic
- B. Express
- C. Standard
- D. Enterprise

Correct Answer: C

---



#### QUESTION 4

Comparing the POVVER7+ 750 with the Power 760, which of the following differentiates the systems?

- A. Form factor
- B. Customer Installation
- C. Dual Chip processor module
- D. Memory Capacity Upgrade on Demand

Correct Answer: B

---

#### QUESTION 5

A customer would like to add a second HMC to an environment which consists of multiple POWER7 and POWER8 systems.

Which of the following is a requirement for both HMCs to be able to manage all the systems?

- A. All the POWER7 systems must be at the same firmware level.
- B. Both HMCs must be on the same HMC VLAN.
- C. Each HMC must be on a dedicated HMC VLAN.
- D. Both HMCs must be at the same code level.

Correct Answer: C

[C4040-252 PDF Dumps](#)

[C4040-252 VCE Dumps](#)

[C4040-252 Practice Test](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !


- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.  
To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.  
All trademarks are the property of their respective owners.  
Copyright © geekcert, All Rights Reserved.