



# C5050-062<sup>Q&As</sup>

Rational UrbanCode Deploy

**Pass IBM C5050-062 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c5050-062.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which two statements are true about how IBM UrbanCode Deploy (UCD) organize deployment artifacts? (Select two.)

- A. Deployment artifacts are typically produced by an automated build and then imported into UCD as a version.
- B. Deployment artifacts are stored in an external system (version control, CMDB, inventory, etc.) and UCD can only download the artifacts to the target server as part of a deployment process.
- C. Deployment artifacts must be uploaded to Rational Asset Manager, so they can be used on a deployment process.
- D. Each component contains at least one deployment package that contains all the deployment artifacts for that application.
- E. A component contains in the artifact set (versions) and the automation to deploy it.

Correct Answer: BE

B: Deployable items, or artifacts, can be files, images, databases, configuration materials, or anything else that is associated with a software project. Artifacts can come from a number of sources: file systems, build servers such as IBM Anthill Pro, and many others.

E: When you create a component, you identify the source and define how the artifacts are brought into IBM UrbanCode Deploy.

References: [https://www.ibm.com/support/knowledgecenter/SS4GSP\\_6.1.1/com.ibm.udeploy.doc/topics/comp\\_ch.html](https://www.ibm.com/support/knowledgecenter/SS4GSP_6.1.1/com.ibm.udeploy.doc/topics/comp_ch.html)


---

### QUESTION 2

Which security types are used to secure the IBM UrbanCode Deploy server?

- A. Server Configuration and Web UI
- B. Security UI and Application Security
- C. Application Security and DevOps Security
- D. UI Security and DevOps Security

Correct Answer: A



References: [http://www.ibm.com/support/knowledgecenter/en/SS4GSP\\_6.1.3/com.ibm.udeploy.admin.doc/topics/security\\_types.html](http://www.ibm.com/support/knowledgecenter/en/SS4GSP_6.1.3/com.ibm.udeploy.admin.doc/topics/security_types.html)

### QUESTION 3

What do you use to define a logical grouping of deployable that function as a single unit and contain definitions of automations and target environments?

- A. Component template
- B. Resource
- C. Application
- D. Resource template

Correct Answer: B

Component-type resources represent the components that are deployed to target environments. A

resource is a logical deployment target that typically resolves to an agent and a user-defined construct that is based on the architectural model of IBM UrbanCode Deploy.

If a resource is part of a hierarchy, it delegates its automation, if any, up the chain until it finds an agent.

In IBM UrbanCode Deploy, deployable items are combined into logical groupings called components.

Incorrect Answers:



D: A resource template is a model for a group of resources. The template contains a hierarchy of resources, groups, and agent prototypes that is a starting point for creating new resources.

References: [http://www.ibm.com/support/knowledgecenter/SS4GSP\\_6.2.0/com.ibm.udeploy.doc/topics/resources\\_ch.html](http://www.ibm.com/support/knowledgecenter/SS4GSP_6.2.0/com.ibm.udeploy.doc/topics/resources_ch.html)

#### QUESTION 4

A security type in IBM UrbanCode Deploy is a product area that can have permissions defined for it. Additional subtypes can be defined for the product areas. In which product areas is it impossible to define additional subtypes?

- A. Agents and Resources
- B. Web UI and Server Configuration
- C. License and Process
- D. Components and Applications

Correct Answer: B

Except for the web UI and server configuration product areas, you can create security subtypes for most product areas.

References: [https://www.ibm.com/support/knowledgecenter/en/SS4GSP\\_6.1.0/com.ibm.udeploy.admin.doc/topics/security\\_types\\_create.html](https://www.ibm.com/support/knowledgecenter/en/SS4GSP_6.1.0/com.ibm.udeploy.admin.doc/topics/security_types_create.html)

#### QUESTION 5

When creating a new user, an authentication realm must be defined. What are two authentication types?

- A. Internal Storage and LDAP
- B. OpenLDAP and Rational Authentication Method
- C. External Storage and LDAP
- D. OpenLDAP and Internal Storage

Correct Answer: A

The available authorization realms for the server are as follows:

\*

Internal Storage

Uses internal role management. The default authorization realm (Internal Security) is of this type.

\*

LDAP or Active Directory|

Uses external LDAP role management.



\*

SSO

Provides single sign-on authorization.

References: [https://www.ibm.com/support/knowledgecenter/en/SS4GSP\\_6.1.3/com.ibm.udeploy.admin.doc/topics/security\\_config.html](https://www.ibm.com/support/knowledgecenter/en/SS4GSP_6.1.3/com.ibm.udeploy.admin.doc/topics/security_config.html)

[C5050-062 PDF Dumps](#)

[C5050-062 Practice Test](#)

[C5050-062 Study Guide](#)