https://www.geekcert.com/c5050-062.html

2024 Latest geekcert C5050-062 PDF and VCE dumps Download

C5050-062^{Q&As}

Rational UrbanCode Deploy

Pass IBM C5050-062 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c5050-062.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

A security type is a product area that can have permissions defined for it. Each security type has a set of permissions that affect how users interact with it. How many security types are available in IBM UrbanCode Deploy?

A. 13

B. 10

C. 3

D. 5

Correct Answer: D

A security type is a product area that has permissions defined for it. There are several security types predefined. They are system, application, release, deployment, status, and initiatives and changes.

Other than the Status security type, permissions are predefined.

References: http://www.ibm.com/support/knowledgecenter/SS4GCC_6.2.1/com.ibm.urelease.doc/topics/security_types.html

---

QUESTION 2

Which three Linux operating systems are supported for installation of the IBM UrbanCode Deploy server?

A. Centos

B. Red Hat Enterprise Linux

C. Gentoo

D. SUSE Linux Enterprise Server

Correct Answer: ABD

References: http://www-01.ibm.com/common/ssi/ShowDoc.wss?docURL=/common/ssi/rep_ca/2/897/ENUS216-012/index.htmlandlang=enandrequest_locale=en https://clean-clouds.com/2015/09/02/how-to-installibm-urbancode-deploy-6-1-1-on-centos/

QUESTION 3

Which statement is true about importing files into component versions from the file system?

A. Component versions can only be imported from the file system via the UCD server process over port 2776.

B. Component versions can only be imported from the file system using an agent installed on the IBM UrbanCode Deploy server.

C. Any agent listed in the system settings can be used to import component versions from the file system.

D. Any agent selected in the file import plug-in can be used to import component versions from the file system.

Correct Answer: D

QUESTION 4

What should be defined in an IBM UrbanCode Deploy application?

A. Components, Baselines and Environments

B. Components, Environments and Processes

C. Components, Snapshots and Recourses

D. Agents, Versions and Resources

Correct Answer: B

Applications are responsible for bringing together all the components that must be deployed together. Applications do this task by defining the different versions of each component and defining the different environments that the components must go through on the way to production. In addition, applications also map the constituent hosts and systems (called resources) that a component needs within every environment. Applications also implement automated deployments, rollbacks, and similar tasks. These tasks are called processes. However, at the application level, processes are concerned only with the components and resources that are necessary for deployment, and related tasks

References: http://www.ibm.com/support/knowledgecenter/SS4GSP_6.2.0/com.ibm.udeploy.doc/topics/applications_ch.html

QUESTION 5

What do Source Configuration plugins enable the user to do?

A. Explicitly define an IBM UrbanCode Deploy agent that will download a component\\'s files

B. Explicitly define a sub-process that will perform selective configuration of a component\\'s files

C. Explicitly define a procedure for interactively selecting which component files to download when the deployment process runs

D. Explicitly define a sub-process for downloading a component\\'s files from multiple repositories

Correct Answer: A

Source Configuration Plugins in IBM UrbanCode Deploy

admin ▾   ⊙ ▾   IBM.

| Dashboard | Components | Applications | Configuration | Processes | Resources | Calendar | Work Items | Reports | Settings |

Home > Settings > System

There is no agent or tag configured to import new component versions, so no new versions will be imported. Please set this on the Settings > System Settings page.

| Logging | Network | Notifications | Audit Log | Patches | Properties | **System Settings** |

General Settings

External Agent URL *	https://localhost:8443	?
External User URL *	https://localhost:8443	?
Automatic Version Import Check Period (seconds) *	15	?
Validate Agent IP	☐ ?
Enable UI Debugging	☐ ?
Fail Processes With Unresolved Properties	☑ ?
Use Agent Tag For Integration	☐ ?
Agent for Version Imports	▾ ?

References: https://developer.ibm.com/urbancode/videos/source-configuration-plugins-ibm-urbancodedeploy/

C5050-062 VCE Dumps   C5050-062 Exam Questions   C5050-062 Braindumps