



# C5050-062<sup>Q&As</sup>

Rational UrbanCode Deploy

**Pass IBM C5050-062 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c5050-062.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

The approval process is executed when approved by which user type?

- A. The user type currently configured to execute the process
- B. The administrator user type
- C. The user type configured for approval in the approval process being executed
- D. The user type of the user created both the application processes and the component processes

Correct Answer: C

Deployment approvals are created in a process that specifies the job that needs approval and the role of the approver. When a request for approval is made, the users with the corresponding role are notified of the work item through email. The approver has the liberty to approve or reject a deployment as well as provide comments to the decision.

References: <https://developer.ibm.com/urancode/products/urancode-deploy/features/quality-gatesapprovals/>

---

### QUESTION 2

What are three main characteristics of an agent? (Select three.)

- A. Runs plugin steps (scripts to perform various actions)
- B. Is installed on UrbanCode server to allow communication with agent relays
- C. Runs automation tasks defined by an Ant script
- D. Represents the IBM UrbanCode Deploy agent software running on a server
- E. Is installed on each server on which commands must be executed

Correct Answer: BCD

C, not A: Apache Ant is a command line tool that is used to automate the build and deployment of applications. This plug-in calls the Ant executable to run one or more targets defined in a specified Ant script file, and is very useful for quickly integrating legacy automation into your UrbanCode Deploy Processes. IBM UrbanCode Deploy agents include a distribution of Ant, which is used by default, but other versions can be used by providing the path to the Ant installation directory in your Process Step. B, not E: Will the agent connect to an agent relay instead of directly to the server? The default value is N. If you specify Y, you are prompted to configure the following parameters: hostname or address of the agent relay the agent will connect to agent communication port for the agent relay HTTP proxy port for the agent relay

References: <https://developer.ibm.com/urancode/plugin/ant-2/>

---

### QUESTION 3

When integrating .NET applications for deployment to an IIS server, IBM UrbanCode Deploy requires a property be set on the resource for the location of the appcmd.exe file. Where is the Windows default location for appcmd.exe?

- A. C:\Windows\System32\inetsrv



- B. C:\Program Files\Common Files
- C. C:\\Program Files\MSBuild\Microsoft
- D. C:\\Windows\Microsoft.NET\Framework

Correct Answer: A

Appcmd.exe resides in the %windir%\system32\inetsrv directory, even for 64-bit Windows versions.

References: [https://technet.microsoft.com/en-us/library/cc730918\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/cc730918(v=ws.10).aspx)

---

#### QUESTION 4

What is the best use of snapshots?

- A. To identify dependences between agents for an application
- B. To identify application resources that are related
- C. To identify versions of application components that should be deployed together
- D. To identify allowed property types and configurations

Correct Answer: C

A snapshot is a collection of specific versions of components and processes. Typically, a snapshot represents a set of component versions that are known to work together. In most cases, snapshots include all of the components in an application.

References: [http://www.ibm.com/support/knowledgecenter/SS4GSP\\_6.1.3/com.ibm.udeploy.doc/topics/app\\_snapshot.html](http://www.ibm.com/support/knowledgecenter/SS4GSP_6.1.3/com.ibm.udeploy.doc/topics/app_snapshot.html)

---

#### QUESTION 5

Which construct from the IBM UrbanCode Deploy security model secures product areas (i.e. Application, Components, Environments, Resources Agents, etc.) in IUC Deploy?

- A. Roles
- B. Groups
- C. Teams
- D. Security Sub-types

Correct Answer: A

IBM UrbanCode Deploy uses a flexible team-based and role-based security model that maps to your organizational structure.

From a high level, the security system for the server consists of an authentication realm, authorization



realm, roles, and teams.

A role is a set of granted permissions.

Incorrect Answers:

C: A team is a construct that associates users or groups with roles.

References: [https://www.ibm.com/support/knowledgecenter/SS4GSP\\_6.1.3/com.ibm.udeploy.admin.doc/topics/security\\_ch.html](https://www.ibm.com/support/knowledgecenter/SS4GSP_6.1.3/com.ibm.udeploy.admin.doc/topics/security_ch.html)

[C5050-062 PDF Dumps](#)

[C5050-062 Exam Questions](#)

[C5050-062 Braindumps](#)