



C7010-010^{Q&As}

IBM Cúram V6.0.4 Application Development

Pass IBM C7010-010 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c7010-010.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Suppose that MessageFile.xml contains the following message identifier:


ERR_ENTRY_NOT_FOUND Which of the following is the valid way to create a Cúram exception that uses this message? Which of the following is the valid way to create a Cúram exception that uses this message?

- A. Exception e = new Exception(MESSAGEFILE.ERR_ENTRY_NOT_FOUND);
- B. AppException ae = new AppException(MessageFile, ERR_ENTRY_NOT_FOUND);
- C. AppException ae = new AppException(MESSAGEFILE.ERR_ENTRY_NOT_FOUND);
- D. AppException ae = new AppException(ERR_ENTRY_NOT_FOUND);

Correct Answer: C

QUESTION 2

Review the Screenshot presented.





What type of application navigation element can be expected to correspond with the element highlighted by the red box?

- A. Selection
- B. Menu
- C. Tab
- D. Navigation
- E. Shortcut-Tab

Correct Answer: B

QUESTION 3

Which of the following statements about the different approaches to generating unique IDs are true?

- A. A dedicated BPO should be used to generate readable keys.
- B. A programmatic or model-based approach can be used when the key needs to be returned for further processing.
- C. The model-based approach should be used to generate keys from the Default KeySet.
- D. The model-based approach reduces the chance of key conflict.
- E. A key set must be specified when using the programmatic approach.

Correct Answer: BD

QUESTION 4


Which of the following statements about handcrafted service layer classes is true?

- A. Google Guice dispatches events to listeners
- B. The Persistence Infrastructure (PI) Adapter is used to translate high-level data requests to entity operations
- C. The Entity Interface provides search (read-multi) operations
- D. Entity classes are not modeled, as they are provided by the Entity Interface

Correct Answer: B

QUESTION 5

Review the following diagram:



After a build generated, which of the following assign methods is generated on StructA?

A. public StructA assign(StructB structB){ structA.attribute1 = structB.attribute1; structA.attribute2 = structB.attribute2; structA.attribute3 = structB.attribute3; structA.attribute4 = structB.attribute4; }

B. public StructA assign(StructB structB){ structA.attribute4 = structB.attribute5; }

C. public StructA assign(StructB structB){ structA.attribute1 = structB.attribute1;

structA.attribute2 = structB.attribute2;

structA.attribute3 = structB.attribute3;

}

D. public StructA assign(StructB structB){ structA.attribute1 = structB.attribute1; structA.attribute2 = structB.attribute2; structA.attribute3 = structB.attribute3; structA.attribute4 = structB.attribute5; }

Correct Answer: D

[C7010-010 VCE Dumps](#)

[C7010-010 Study Guide](#)

[C7010-010 Exam Questions](#)