



C8060-218^{Q&As}

IBM Sterling B2B Integrator V5.2 Solution Implementation

Pass IBM C8060-218 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c8060-218.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A developer wants to see which messages were added to a mailbox between two given dates. Which service should be used in a Business Process (BP)?

- A. Mailbox List Service
- B. Mailbox Add Service
- C. Mailbox Query Service
- D. Mailbox Search Service

Correct Answer: C

QUESTION 2

Which option shuts down a system and ensures that currently running processes complete prior to termination?

- A. Soft Stop
- B. Host Information
- C. Quiesce System
- D. Stop the System

Correct Answer: A

QUESTION 3

Given the following BPML, what will the value of "c" be in ProcessData when the Business Process (BP) completes successfully?



```
<process name="si_test">
  <rule name="rule1">
    <condition>a < 2</condition>
  </rule>
  <sequence name="start">
    <assign to="a">1</assign>
    <assign to="b">8</assign>
    <assign name="Assign" to="c" from="/ProcessData/b/text()"></assign>
  <sequence name="test">
    <assign to="a" from="a + 1"></assign>
    <choice name="test1">
      <select>
        <case ref="rule1" activity="test1"/>
        <case ref="rule1" negative="true" activity="test2"/>
      </select>
      <sequence name="test1">
        <assign to="b" from="b - 2"></assign>
        <assign to="c" from="c + 1"></assign>
        <repeat ref="test"/>
      </sequence>
      <sequence name="test2">
        <assign to="c" from="c + b"></assign>
      </sequence>
    </choice>
  </sequence>
</process>
```

- A. 10
- B. 11
- C. 15
- D. 16

Correct Answer: D

QUESTION 4

A developer is creating an IBM Sterling B2B Integrator (SBI) Business Process (BP) using the Graphical Process Modeler (GPM). A Mailbox Delete service is being used to delete a specific message from a mailbox. The developer is assigning the parameter MessageId to delete in the name- value pair in the Service Editor. There are other services being used in the BP that create the XML tag MessageId in Process Data. Which message mode in the GPM Service Editor will be required to ensure that the value of MessageId set in the Service Editor will be used?

- A. Message from ServiceInput Msg tab: Allow Message Write
- B. Message from ServiceInput Msg tab: Allow Process Data Write
- C. Message to ServiceOutput Msg tab: Obtain Message First, then Process Data



D. Message to ServiceOutput Msg tab: Obtain Process Data First, then Messages

Correct Answer: D

QUESTION 5

The developer has a requirement to execute multiple threads and then continue once all have been completed. Which BPML activity should be used?

- A. Choice
- B. All Start
- C. Invoke Sync
- D. Produce/Consume

Correct Answer: B

[C8060-218 PDF Dumps](#)

[C8060-218 Study Guide](#)

[C8060-218 Exam Questions](#)