



C9010-022^{Q&As}

IBM AIX Administration V1

Pass IBM C9010-022 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9010-022.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the best practice when adding a new paging space?

- A. Make the new paging space larger than the current paging space size
- B. Add the new paging space to a different disk drive from where the primary paging space resides
- C. Add the new paging space to the same disk drive where the primary paging space resides
- D. Make the new paging space smaller than the current paging space size

Correct Answer: C

QUESTION 2

What is required to support VLANs in an AIX partition?

- A. IEEE 802.1Q compatible adapter
- B. Promiscuous mode disabled
- C. IEEE 802.3ad compatible interface
- D. QoS must be enabled

Correct Answer: A

QUESTION 3

In the following output, what do the ec and pc columns mean?

```
# vmstat 1 999
System configuration: lcpu=16 mem=1024MB ent=0.40
```

kthr		memory		page				faults				cpu				pc	ec	
r	b	avm	fre	re	pi	po	fr	sr	cy	in	sy	cs	us	sy	id	wa		
2	0	227201	15032	0	0	0	0	0	0	4	480	254	63	1	36	0	1.71	428.3
1	0	227201	15032	0	0	0	0	0	0	2	43	253	63	1	36	0	0.75	188.7
4	0	227201	15032	0	0	0	0	0	0	3	148	233	63	0	36	0	1.61	401.4
2	0	227201	15032	0	0	0	0	0	0	2	20	127	63	0	36	0	1.62	404.5
4	0	227201	15032	0	0	0	0	0	0	3	30	256	71	0	29	0	2.52	629.9
0	0	227201	15032	0	0	0	0	0	0	3	47	264	60	1	39	0	0.91	226.4
2	0	227201	15032	0	0	0	0	0	0	11	58	268	63	1	36	0	1.66	415.2
3	0	227201	15032	0	0	0	0	0	0	2	46	275	64	0	36	0	2.17	542.3
2	0	227201	15032	0	0	0	0	0	0	8	53	319	19	2	78	0	0.19	46.8



- A. Program counter and entitled CPUs
- B. Physical processors consumed and entitled capacity consumed
- C. Processor count and extra cores
- D. Pages compressed and elapsed context switches
- E. Pool compression and external compression

Correct Answer: B

QUESTION 4

Which of the following is a requirement for a concurrent firmware update on a Power Systems server?

- A. The firmware must be upgraded to a new release.
- B. The Power Systems server must have a redundant FSP.
- C. The Power Systems server must be managed by an HMC.
- D. The primary partition must have all system resources assigned.

Correct Answer: C

QUESTION 5

An administrator created logical volume fs01lv to contain a JFS2 file system. When trying to create the filesystem the crfs command gives an error. Given the following logical volume definition, which action will correct the error?

```
LOGICAL VOLUME:      fs01lv          VOLUME GROUP:      rootvg
LV IDENTIFIER:      000a8a920000d9000000012f7a1f1ce9.14  PERMISSION:        read/write
VG STATE:           active/complete  LV STATE:          closed/syncd
TYPE:               jfs              WRITE VERIFY:      off
MAX LPs:            512              PP SIZE:           512 megabyte(s)
COPIES:             1                SCHED POLICY:     parallel
LPs:                5                PPs:              5
STALE PPs:          0                BB POLICY:         relocatable
INTER-POLICY:       minimum          RELOCATABLE:      yes
INTRA-POLICY:       middle           UPPER BOUND:      32
MOUNT POINT:        N/A             LABEL:            None
MIRROR WRITE CONSISTENCY: on/ACTIVE
EACH LP COPY ON A SEPARATE PV?: yes
Serialize IO?:      NO
```

- A. crfs -vjfs2 -m /fs01 -d /dev/fs01lv
- B. mklv-tjfs2-yfs01lvrootvg5
- C. chdev-lfs01lv-atype=jfs2



D. chlv-tjfs2fs01lv

Correct Answer: D

[C9010-022 Practice Test](#)

[C9010-022 Exam Questions](#)

[C9010-022 Braindumps](#)