



C9010-022^{Q&As}

IBM AIX Administration V1

Pass IBM C9010-022 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9010-022.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which level of information does the mpstat command provide when run inside an LPAR?

- A. The simultaneous multi-threading LPAR profile setting.
- B. Overall managed system logical processors utilization.
- C. Performance statistics for all logical processors inside the LPAR.
- D. Number of online physical processors in the pool where the LPAR resides.

Correct Answer: C

QUESTION 2

How can a system administrator verify the progress of an AIX 7.1 client installation from the NIM master?

- A. nim -status
- B. lsnim-l
- C. nim-o check
- D. tail-f/var/adm/ras/nimclient

Correct Answer: B

QUESTION 3

An LPAR is hosted on Power8 hardware.

How can an adapter assigned as "required" to that LPAR be removed with minimal downtime?

- A. Initiate the Add/Remove procedure from the ASMI
- B. Use the CHARM tool to remove the adapter
- C. Remove the device throughdiag, and DLPAR remove the adapter
- D. Remove the required setting in the profile, and DLPAR remove the adapter

Correct Answer: D

QUESTION 4

Which command will show the status of Geographically Mirrored Volume Groups?



- A. gmvstat
- B. geovgstat
- C. lsglvm
- D. listgm

Correct Answer: A

QUESTION 5

Name resolution is not working on a given LPAR. Considering the observed behavior and configuration of /etc/resolv.conf, what is the most likely resolution?

```
# cat /etc/resolv.conf
nameserver nameserver1.ying.ibm.com
nameserver 10.20.145.2
search ying.ibm.com yang.ibm.com
domain ying.ibm.com
# nslookup w7
Server: 10.20.145.2
Address: 10.20.145.2#53

** server can't find w7: NXDOMAIN
# nslookup w7.yang.ibm.com
Server: 10.20.145.2
Address: 10.20.145.2#53

w7.yang.ibm.com canonical name = w7.yang.ibm.com
Name: w7.yang.ibm.com
Address: 10.21.147.10
# nslookup nameserver1.ying.ibm.com
Server: 10.20.145.2
Address: 10.20.145.2#53

nameserver1.ying.ibm.com canonical name = nameserver1.ying.ibm.com
Name: nameserver1.ying.ibm.com
Address: 10.20.145.1
```

- A. Correct the definition of nameserver1.
- B. Remove the domain line.
- C. Verify the syntax in /etc/netsvc.conf.
- D. Move the search definition to the beginning of the file

Correct Answer: B