



C9010-022^{Q&As}

IBM AIX Administration V1

Pass IBM C9010-022 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9010-022.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In the following output, what do the ec and pc columns mean?

```
# vmstat 1 999
System configuration: lcpu=16 mem=1024MB ent=0.40
-----
kthr      memory          page        faults          cpu
-----
 r  b   avm    fre   re  pi  po  fr   sr  cy  in   sy  cs  us  sy  id  wa   pc   ec
 2  0 227201 15032    0   0   0   0    0  0  4  480 254 63   1 36  0   1.71 428.3
 1  0 227201 15032    0   0   0   0    0  0  2   43 253 63   1 36  0   0.75 188.7
 4  0 227201 15032    0   0   0   0    0  0  3  148 233 63   0 36  0   1.61 401.4
 2  0 227201 15032    0   0   0   0    0  0  2   20 127 63   0 36  0   1.62 404.5
 4  0 227201 15032    0   0   0   0    0  0  3   30 256 71   0 29  0   2.52 629.9
 0  0 227201 15032    0   0   0   0    0  0  3   47 264 60   1 39  0   0.91 226.4
 2  0 227201 15032    0   0   0   0    0  0 11   58 268 63   1 36  0   1.66 415.2
 3  0 227201 15032    0   0   0   0    0  0  2   46 275 64   0 36  0   2.17 542.3
 2  0 227201 15032    0   0   0   0    0  0  8   53 319 19   2 78  0   0.19  46.8
... 
```

- A. Program counter and entitled CPUs
- B. Physical processors consumed and entitled capacity consumed
- C. Processor count and extra cores
- D. Pages compressed and elapsed context switches
- E. Pool compression and external compression

Correct Answer: B

QUESTION 2

A host is already configured to access the network, and the administrator would like to configure a second adapter on the same system. This adapter should be permanently configured so that the new IP address is available when the system reboots. Which command should be used?

- A. ifconfig
- B. ipconfig
- C. mktcpip
- D. chdev

Correct Answer: D



QUESTION 3

Which statement regarding the `at` command is true?

- A. Jobs using `at` can be scheduled at regular intervals if the batch job queue is selected.
- B. When the `at` command is run it retains the current environment.
- C. When running the `at` command, an optional duration may be specified for automatic process termination.
- D. The `atd` daemon must be running in order for `at` jobs to be processed.

Correct Answer: A

QUESTION 4

A new naming guideline requires the existing volume group, `db2vg` on `hdisk1`, be renamed to `db2logsvg01`. Which command sequence will accomplish this with the least downtime?

- A. `varyoffvg db2vg exportvg db2vg importvg -y db2logsvg01 hdisk1`
- B. `odmupdate -q VGNAME db2vg db2logsvg01 sync db2vg db2logsvg01 varyonvg db2logsvg01 hdisk1`
- C. `varyoffvg db2vg chvg -a name db2vg db2logsvg01 varyonvg db2vg hdisk1`
- D. `savevg db2vg rmvg db2vg mkvg -y db2logsvg01 hdisk1 restvg hdisk1`

Correct Answer: A

QUESTION 5

A customer has purchased two dual-port Fibre Channel and two dual-port Ethernet cards. Which configuration will provide the greatest amount of redundancy for two client partitions?

- A. Assign each client one fibre and Ethernet card. Make sure they are cabled to a different network and fibre switches.
- B. Assign each client one port on each of the fibre and Ethernet cards. Cable each to a different network or fibre switch.
- C. Assign all resources to a VIO server. Create an Etherchannel on the network adapters that connect to different FCoE switches.
- D. Create a dual VIO server environment, each with one Ethernet and fibre card. Make sure each card is attached to a different network and fibre switch.

Correct Answer: D
