



C9010-022^{Q&As}

IBM AIX Administration V1

Pass IBM C9010-022 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9010-022.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Where is Cluster Aware AIX cluster configuration data stored?

- A. A shared disk that is accessible from all nodes
- B. A NFS filesystem that is accessible by all nodes
- C. A shared system pool that is accessible by all nodes
- D. A master copy on one node and the data is replicated to the local disk of the other nodes

Correct Answer: A

QUESTION 2

The first line of a script is:

```
#!/usr/bin/perl
```

What will this do when the script is run?

- A. It will interpret the script using Perl.
- B. It will load environment variables in the /usr/bin/perl file.
- C. It will execute the file /usr/bin/perl before executing the script.
- D. It will set the value of the "perl" environment variable to the empty string

Correct Answer: A

QUESTION 3

How can the administrator remove all entries from the error log?

- A. errclear 0
- B. errpt-c 0
- C. errlogger-c 0
- D. errdemon-c 0

Correct Answer: A

QUESTION 4



Which of the following is an AIX 7 Cluster Aware feature?

- A. Cluster application load balancing
- B. Cluster shared volume groups on the shared disk
- C. Cluster IP addresses on the shared resource
- D. Cluster configurations on the cluster repository disk

Correct Answer: D

QUESTION 5

When attempting to log into a system, the administrator receives the message "All network ports in use."

How can this be resolved?

- A. Add the terminals tty0 through tty9 to the /etc/securetty file
- B. Use thenocommand to enable ipforwarding
- C. On the HMC,select the option "Reset Connection" for the server
- D. Use thechdevcommand to increase the number of pseudo-terminals

Correct Answer: D

[Latest C9010-022 Dumps](#)

[C9010-022 Practice Test](#)

[C9010-022 Braindumps](#)