



C9010-030^{Q&As}

IBM i Administration V1

Pass IBM C9010-030 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9010-030.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The HMC is backed up in two different ways for different purposes. Which identifies the correct tasks and usage?

- A. 1) Backup Critical System data is used prior to a firmware update 2) Save Upgrade Data is used for crash recovery purposes
- B. 1) Create Recoverable Image is used for crash recovery purposes 2) Save Upgrade Data is used prior to a firmware update
- C. 1) Save Upgrade Data is used prior to a firmware update 2) Back Up Management Console Data is used for crash recovery purposes
- D. 1) Back Up Profile Data is used prior to a firmware update 2) Create Recoverable Image is used for crash recovery purposes

Correct Answer: D

QUESTION 2

An administrator needs to secure a physical file that will have an exclusive lock by an application job. Which object-level security will allow adding and removing private authorities without causing downtime for the application?

- A. Private Authority
- B. Primary Group
- C. Owner
- D. Authorization list

Correct Answer: D

QUESTION 3

An administrator is trying to restore a journal receiver to a different system. The journal receiver library does not exist on the new system.

What is the result of restoring this journal receiver?

- A. The restores fails and the receiver is not restored.
- B. The job goes to a MSGW and requires a response before continuing.
- C. The receiver is restored to the library where the journal is located.
- D. The library is automatically created and the receiver restores.

Correct Answer: A



QUESTION 4

An administrator needs to automatically terminate interactive user jobs when they are idle for more than 15 minutes. Which two system values should the administrator use to complete this task?

- A. QINACTITV (inactive job timeout) QJOBENDNFY (notify user on job end)
- B. QLMTDEVSSN (limit device sessions) QDEVSSNACN (device session end action)
- C. QDSCJOBITV (time interval before jobs are disconnected) QDSCJOBACN (disconnected job action)
- D. OINACTTTV (inactive job timeout) QINACTMSGQ (inactive job message queue)

Correct Answer: D

QUESTION 5

A Power Systems server with SAN attached disk has redundant fibre HBAs and two paths provisioned through the SAN fabric.

One fibre HBA has been replaced, but the redundant path shows a failed status.

What is the most likely cause of this problem?

- A. The new adapter was not dynamically allocated to the partition.
- B. The multipathing exit program (QIBM_QZSC_SANP2) has failed.
- C. The multipathing daemon has failed.
- D. The WWPN has changed.

Correct Answer: D

[Latest C9010-030 Dumps](#)

[C9010-030 Exam Questions](#)

[C9010-030 Braindumps](#)