



C9010-030^{Q&As}

IBM i Administration V1

Pass IBM C9010-030 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9010-030.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

At the end of an *ALLUSR library save the system issues the following message: "CPF3777631 libraries saved, 1 partially saved, 0 not saved." The library QPFRDATA missed saving the MGTCOL objects. Taking which action will avoid the problem in the future?

- A. Stop performance collection as part of the backup routine, and restart it when the backup is complete.
- B. Change the Save While Active parameter on the save to "SYSDFN to allow a check point on the management collection objects.
- C. As part of the save operation cycle the collection services job to get an empty "MGTCOL object so the save will not fail on it.
- D. Uncheck the Create Database Files during collection" option on the Collection Services Properties in IBM i Navigator.

Correct Answer: D

QUESTION 2

A Power Systems server with SAN attached disk has redundant fibre HBAs and two paths provisioned through the SAN fabric.

One fibre HBA has been replaced, but the redundant path shows a failed status.

What is the most likely cause of this problem?

- A. The new adapter was not dynamically allocated to the partition.
- B. The multipathing exit program (QIBM_QZSC_SANP2) has failed.
- C. The multipathing daemon has failed.
- D. The WWPN has changed.

Correct Answer: D

QUESTION 3

Which statement is correct about installing system firmware on a single image system that has no HMC?

- A. The updates are concurrent when PowerVM Enterprise Edition is installed.
- B. The updates are always disruptive.
- C. The updates are concurrent when the firmware version stays the same.
- D. The updates are disruptive only when PowerVM Express is installed.



Correct Answer: B

QUESTION 4

An administrator wants to determine the remaining life of cache batteries in disk controllers. Where is this information presented?

- A. In SST, under Hardware Service Manager
- B. In the Work with Disk Status display
- C. In SST, under Work With Disk Units and Display Disk Configuration
- D. In IBM i Navigator, select Hardware and then Adapters

Correct Answer: B

QUESTION 5

Two HMCs manage the same server. An administrator recently upgraded the HMC firmware from level V8 R8.2 0 to V8 R8.3.0 on one of the consoles. Shortly after, a connection error "Version Mismatch..." appeared on the second console.

Which process will resume the functionality for the second console?

- A. Reboot the second HMC.
- B. Upgrade the second HMC to V8 R8.3.0, re-initialize the server connection, and restore the partition profiles
- C. Select Reset or Remove Connections on the second HMC to reset the connection
- D. Install the latest service pack on the second HMC and re-initialize the server connection.

Correct Answer: C

[C9010-030 Study Guide](#)

[C9010-030 Exam Questions](#)

[C9010-030 Braindumps](#)