



C9010-260^{Q&As}

IBM Power Systems with POWER8 Sales Skills V2

Pass IBM C9010-260 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9010-260.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

In a Unica Campaign deployment there is a requirement to increase the HTTP inactive session timeout from the default 30 minutes to 60 minutes. This can be accomplished by changing the session-timeout parameter in which of the following files?

- A. web.xml in the Campaign war file
- B. config.xml under /conf
- C. jaas.config under /conf
- D. campaign_navigation.xml under /conf

Correct Answer: A

QUESTION 2

Unica Campaign supports which two web application servers?

- A. IBM Tivoli
- B. Caucho Resin
- C. Apache Tomcat
- D. IBM WebSphere
- E. Oracle WebLogic

Correct Answer: DE

QUESTION 3

A user assigns a Global Suppression to an audience level. How does Unica Campaign ensure that the audience keys listed in the suppression list will never make it into a list generated by a flowchart? Campaign automatically removes:

- A. all IDs in the Global Suppression list from the table catalog.
- B. the IDs in the Global Suppression list from every top level Select, Extract or Audience process.
- C. all IDs in the Global Suppression list from every top level Segment, Sample or Snapshot process.
- D. the IDs in the Global Suppression list from the final Select, Extract or Audience process just before the data is written out of the CampaignSystem.

Correct Answer: B

QUESTION 4



In an installation, Unica Campaign has been deployed on WebSphere JVM with system tables in DB2. For this configuration to function successfully, which custom data source property in WebSphere needs to be set or added for the DB2 system tables data source?

- A. logToConnect
- B. numberOfRetries
- C. resultSetHoldability
- D. cacheConnectionSize

Correct Answer: C

QUESTION 5

An administrator gave a user access to two different roles in two different security policies. In one role, the user is granted access to function A. In the other role, the user is denied access to function A. What will happen when the user accesses function A?

- A. Nothing happens, the administrator will need to perform additional tasks.
- B. Based on the aggregation on permissions during evaluation by the Unica Platform, the user will be denied access to function A since the access was denied in one of the roles.
- C. Based on the aggregation on permissions during evaluation by the Unica Platform, the user will be granted access to function A since the access was granted in one of the roles.
- D. Based on the aggregation on permissions during evaluation by the Unica Platform, an error message will appear indicating that more permissions need to be defined, since the two permissions in the two roles conflict with one another.

Correct Answer: B

[Latest C9010-260 Dumps](#)

[C9010-260 PDF Dumps](#)

[C9010-260 Practice Test](#)