



C9060-528^{Q&As}

IBM Spectrum Protect V8.1 Administration

Pass IBM C9060-528 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9060-528.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which command sets the randomization setting in order that clients are assigned start times that are randomly scattered across the first half of each startup window?

- A. SET SCHEDRANDOMIZE 50
- B. UPDATE RANDOMIZE 50
- C. SET SCHEDULE RANDOMIZE 50
- D. SET RANDOMIZE 50

Correct Answer: D

Use the SET RANDOMIZE command to set randomized start times within the startup window of each schedule for clients by using the client-polling scheduling mode.

Syntax Read syntax diagramSkip visual syntax diagram >>-Set RANDomize--percent-

References: https://www.ibm.com/support/knowledgecenter/en/SSGSG7_7.1.6/srv.reference/r_cmd_randomize_set.html

QUESTION 2

There are two servers, server1 and server2. What is enabled when the command, SET DISSIMILARPOLICIES SERVER2 ON is issued on server1?

- A. It enables the use of more than one server1 policy for management of replicated data on server2.
- B. It enables server1 to manage replicated data on server2.
- C. It enables the policies on server2 to be used for management of replicated data from server1.
- D. It enables exporting policies from server1 to server2 so they can be used for management of replicated data.

Correct Answer: C

Use the SET DISSIMILARPOLICIES command to enable the policies that are defined on the target replication server to manage replicated client-node data. If you do not use the policies on the target

replication server, replicated client-node data is managed by policies on the source replication server.

ON specifies that replicated client-node data is managed by the policies that are defined on the target replication server.

Syntax:

Read syntax diagramSkip visual syntax diagram

.-Off-.



```
>>-Set DISSIMILARPolicies--target_server_name--+-----+----->
```

```
+--OFF--+
```

```
\\'-ON--\\'
```

References: https://www.ibm.com/support/knowledgecenter/en/SSGSG7_7.1.6/srv.reference/

[r_cmd_dissimilarpolicies_set.html](#)

QUESTION 3

What is a prerequisite when using multiple data streams for backup and restore of the IBM Spectrum Protect server database?

- A. sufficient library paths
- B. sufficient mount points
- C. an installed IBM Spectrum Protect Server Tool
- D. DB2 API utility

Correct Answer: B

To run eight reclamation processes simultaneously, you need a total of at least 16 mount points and 16 drives. The device class for the two storage pools must have a mount limit of at least 16.

References: IBM Spectrum Protect for Windows Version 8.1.0, Administrator\\'s Reference, p 1518

QUESTION 4

How can an administrator determine when the IBM Spectrum Protect server database backup starts?

- A. Configure IBM Spectrum Protect to send a page when the backup database begins
- B. Configure IBM Spectrum Protect to pop up a display when the backup database begins
- C. Configure IBM Spectrum Protect to play a sound when the backup database begins
- D. Configure IBM Spectrum Protect to send an e-mail alert when the backup database begins

Correct Answer: D

QUESTION 5

On an IBM Spectrum Protect Windows server, which utility can be used to identify disk bottlenecks?

- A. monitor
- B. perfstat



C. perform

D. nmon

Correct Answer: B

[C9060-528 PDF Dumps](#)

[C9060-528 VCE Dumps](#)

[C9060-528 Practice Test](#)