



# C9510-317<sup>Q&As</sup>

IBM WebSphere Application Server Network Deployment V8.0 Core Administration

## Pass IBM C9510-317 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9510-317.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A system administrator has completed a WebSphere installation using the IBM Installation Manager. Which tool, using the default settings, can the administrator use to generate an HTML file verifying the version of WebSphere installed? Execute the:

- A. postinstall command.
- B. versionInfo command.
- C. genVersionReport command.
- D. Installation Verification Tool (IVT).

Correct Answer: C

---

### QUESTION 2

A system administrator needs to modify the context root of a web application. The Web Context root can be changed using the IBM Assembly and Deploy Tools (IADT) by editing:

- A. web.xml file
- B. Web project settings
- C. web deployment descriptor
- D. Enterprise Application project settings

Correct Answer: B

---

### QUESTION 3

A system administrator must configure IBM WebSphere Application Server Network Deployment V8.0 to authenticate users with a Windows domain. The administrator should configure a registry that is:

- A. a local operating system (OS).
- B. a Virtual Member Manager (VMM).
- C. a registry that implements WebSphere Common Configuration Model (WCCM).
- D. an Active Directory (AD) domain controller.

Correct Answer: A

---

**QUESTION 4**

A system administrator has enabled the HPEL mode on an application server, but has disabled the HPEL text log to improve performance.

How can the administrator view only the messages that were streamed to System.out and System.err by a single server thread?

- A. Use a text editor to open a log file in the server\\'s logdata directory, and search for the thread ID.
- B. Use the Log Analyzer to import the SystemOut.log file for the server and search on the thread ID.
- C. Use the Integration Solutions Console (ISC) Log Viewer to select a thread and then click the "Show Only Selected Threads" button.
- D. Use the Integration Solutions Console (ISC) Log Viewer\\'s filtering section to search for the string "Thread ID\*" in the message content field.

Correct Answer: C

---

**QUESTION 5**

An administrator needs to monitor the frequency of garbage collection (GC) cycles that are triggered when a typical client load is run against the server. How should the administrator monitor the frequency of garbage collections?

- A. Use the Log Analyzer to view the verbose GC logs.
- B. Use the HPEL Log Viewer and look for System.gc() calls.
- C. Use the Tivoli Performance Viewer (TPV) and select the JVM Runtime.
- D. Run the performance servlet to gather the verbose GC data.

Correct Answer: C

[C9510-317 PDF Dumps](#)

[C9510-317 VCE Dumps](#)

[C9510-317 Exam Questions](#)