



C9510-317^{Q&As}

IBM WebSphere Application Server Network Deployment V8.0 Core Administration

Pass IBM C9510-317 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9510-317.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The system administrator needs to generate a report of data sources for a WebSphere cell. To do so, the administrator should:

- A. parse the genVersionReport to list data sources.
- B. configure a monitored directory to capture this data.
- C. create a script by using the JDBC query scripts as examples.
- D. use the Integrated Solutions Console (ISC) to generate a data source report.

Correct Answer: C

QUESTION 2

A system administrator configures the intelligent runtime provisioning feature included with WebSphere Application Server Network Deployment V8.0. The default WebSphere settings are in place. At what level will the administrator enable runtime provisioning?

- A. node agent
- B. web container
- C. application server
- D. deployment manager

Correct Answer: C

QUESTION 3

A system administrator creates a profile and selects the option to allow WebSphere Application Server to create the default certificate. After the certificate is created, what attributes can the administrator customize, if needed?

- A. location and lifespan of the certificate
- B. location, type, and password of the keystore
- C. Distinguished name (DN) and lifespan of the certificate
- D. Distinguished name (DN) and password of the keystore

Correct Answer: C



QUESTION 4

A cluster is a member of a service integration bus (SIBus) and is configured with the high availability messaging engine policy.

How should a system administrator configure JMS messaging so that message-driven beans (MDBs) on all cluster members can get messages?

- A. Enable the JMS activation specification option: Always activate MDBs in all servers.
- B. Enable the JMS destination option: Do not prefer a local queue point over other queue points.
- C. Set the scope of all JMS destinations to the cluster that is a member of the SIBus.
- D. Set the scope of the JMS connection factory to the cluster that is a member of the SIBus.

Correct Answer: A

QUESTION 5

A system administrator notices that a new cluster member is running but not receiving HTTP requests.

Which script from the command line should the administrator execute for the new cluster member to receive HTTP requests?

- A. pmt
- B. startManager
- C. GenPluginCfg
- D. wsadmin -f startApplicationOnCluster

Correct Answer: C

[C9510-317 PDF Dumps](#)

[C9510-317 Study Guide](#)

[C9510-317 Exam Questions](#)