



C9510-319^{Q&As}

IBM WebSphere Application Server Developer Tools V8.5 with Liberty Profile

Pass IBM C9510-319 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9510-319.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A developer has created a Liberty server in WebSphere Application Server Developer Tools for Eclipse.

How can the developer start the Liberty server from the Servers view using a JRE different from the default JRE?

- A. Open the Runtime Explorer view, select the runtime and click the Properties context-sensitive menu item. Change the JRE setting under the Server category in the Properties dialog.
- B. Open the Server Configuration editor by double-clicking the server configuration in the Servers view, add a JVM configuration element and specify the JRE location in the Location field.
- C. Open the Server editor by double-clicking the server in the Servers view, select the Runtime Environments link and change the JRE setting in the Liberty Profile Runtime Environment dialog.
- D. Open the Server Configuration editor by double-clicking the server configuration in the Servers view, add a Variable configuration element with the Name field set to `java.home` and the Value field set to the location of the JRE.

Correct Answer: C

QUESTION 2

Weather Web service is configured under the WeatherBeanWeb context. From the diagram in the exhibit, what is the correct URI for TCP/IP Monitor to work?

- A. `http://localhost/WeatherBeanWeb/services/Weather`
- B. `http://localhost:9083/WeatherBean/services/Weather`
- C. `http://localhost:9090/WeatherBean/services/Weather`
- D. `http://localhost:9083/WeatherBeanWeb/services/Weather`
- E. `http://localhost:9090/WeatherBeanWeb/services/Weather`

Correct Answer: D

QUESTION 3

A developer using WebSphere Application Server Developer Tools has written a web application that is shared by multiple EAR projects.

Which statement is true if the developer deletes the web application?

- A. All the references to the Web application are removed from the EAR projects by default.
- B. The developer must remove the references to the web application from all the EAR projects before deleting the web application.
- C. All the references to the Web application are removed from the EAR projects only if none of the projects are deployed to a Liberty server.



D. All the references to the Web application are removed from the EAR, but only if the user selects to do that in the Delete Resources confirmation dialog.

Correct Answer: A

QUESTION 4

An IBM WebSphere Application Server, V5.0 log file contains a message type of "E". What does the "E" signify?

- A. Event
- B. Error
- C. Exception
- D. Entry to a method

Correct Answer: B

QUESTION 5

Which of the following options for sending binary data are compliant to either WS-I Basic Profile (BP) V1.1 or V1.2?

- A. SOAP with Attachments
- B. Base64 encode the data inline
- C. Direct Internet Message Encapsulation (DIME)
- D. Message Transmission Optimization Mechanism (MTOM) / XML-Binary Optimized Packaging (XOP)

Correct Answer: BD

[Latest C9510-319 Dumps](#)

[C9510-319 PDF Dumps](#)

[C9510-319 VCE Dumps](#)