



C9510-319^{Q&As}

IBM WebSphere Application Server Developer Tools V8.5 with Liberty Profile

Pass IBM C9510-319 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9510-319.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A developer is creating a JAX-WS Web service. The Web service will be used to send cheque image file from the provider to the requestor. Given the following extract:

```
@MTOM(enabled=true, threshold=50)
@Web Service(name="Image Service",
target Namespace="http://com.test.ImageService")
public class Image Provider {
```

What does the threshold parameter indicate?

- A. The minimum number of attachments that can be sent in the message
- B. The maximum number of attachments that can be sent in the message
- C. The maximum size in bytes for each attachment to be sent using MTOM.
- D. The minimum size in bytes for each attachment before MTOM is used. Smaller attachments will use base64 inline encoding.
- E. The maximum size in bytes for each attachment before MTOM streams to disk. Smaller attachments will keep the attachment in-memory.

Correct Answer: D

QUESTION 2

JSR109 defines the life cycle of a Service Implementation Bean in the Web container.

Which sequence of statements below is TRUE?

- A. 1. The Web container calls the method annotated with `javax.annotation.PostConstruct` annotation.
- 2. The web container creates a new instance of the Service Implementation Bean.
- 3. The web container may pool method ready instances of a Service Implementation Bean and dispatch a method request on any instance in a method ready state.
- 4. For the web container with JAX-WS runtime, the method annotated `javax.annotation.PreDestroy` is called.
- B. 1. The web container creates a new instance of the Service Implementation Bean.



2.

For web containers with JAX-WS runtime, the container calls the method annotated with `javax.annotation.PostConstruct` annotation.

3.

The web container may pool method ready instances of a Service Implementation Bean and dispatch a method request on any instance in a method ready state.

4.

For the web container with JAX-WS runtime, the method annotated with `javax.annotation.PreDestroy` is called.

C. 1. The web container creates a new instance of the Service Implementation Bean.

2.

For web containers with JAX-WS runtime, the container calls the method annotated with `javax.annotation.PostConstruct` annotation.

3.

The web container may pool method ready instances of a Service Implementation Bean and dispatch a method request on any instance in a method ready state.

4.

For the web container with JAX-WS runtime, the method annotated with `javax.annotation.PrePassivate` is called.

D. 1. The Web container calls the method annotated with `javax.annotation.PostActivate` annotation.

2.

The container creates a new instance of the Service Implementation Bean.

3.

The web container may pool method ready instances of a Service Implementation Bean and dispatch a method request on any instance in a method ready state.

4.

For the web container with JAX-WS runtime, the method annotated with `javax.annotation.PrePassivate` is called.

Correct Answer: B



QUESTION 3

A company is planning to deploy a key business function implemented as a JAX-WS Web service. The Web service will be consumed by IBMWebSphere Application Server V7.0 and Microsoft .NET clients. Currently, theWeb services is secured by WS-Security.

What is the BEST way to communicate policy to the consumers?

- A. Export the Policy Set and publish the Policy Set on a web site for download
- B. Enable the provider to export WS-Security Policy annotated WSDL via HTTP GET
- C. Enable the provider to export WS-Security Policy annotated WSDL via WS-Policy Exchange
- D. Enable the provider to export WS-Security Policy annotated WSDL via WS-Metadata Exchange

Correct Answer: B

QUESTION 4

Which task is supported on WebSphere Application Server Developer Tools when targeting theLiberty runtime?

- A. Start and stop a remote server
- B. Federate applications to the server
- C. Deploy RESTful Web Services (JAX-RS) applications
- D. Automatically update the target runtime when importing an application with an invalidruntime

Correct Answer: C

QUESTION 5

A developer is creating a Web service from the WSDL file, using IBM Rational Application Developer: When creating a top-down JavaBean, which of the following artifacts would be generated?

- A. Service Endpoint Interface and Implementation class only
- B. Service Endpoint Interface and GetAccountBalance.java, GetAccountBalanceResponse.java
- C. Service Endpoint Interface, Implementation class, GetAccountBalance.java, GetAccountBalanceResponse.java
- D. Implementation class, GetAccountBalance.java, GetAccountBalanceResponse.java

Correct Answer: C