



C9510-418^{Q&As}

IBM Cloud Object Storage V3.8 Implementation

Pass IBM C9510-418 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9510-418.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following is true regarding disk offload?

- A. The amount of disk space to use cannot be specified.
- B. On server startup, DynaCache loads the entire disk cache into memory.
- C. The number of cache entries that are offloaded to disk cannot be specified.
- D. Disk offload can be enabled to have a cache entry copied to the file system at a configurable location.

Correct Answer: ACD

AC: Before you enable disk offload, consider the following:

You cannot specify the number of cache entries that are offloaded to disk.

You cannot specify the amount of disk space to use.

D: You can enable disk offload to have a cache entry copied to the file system (the location is configurable).

Reference: https://www.ibm.com/support/knowledgecenter/SSEQTP_9.0.0/com.ibm.websphere.base.doc/ae/udyn_rcachesettings.html

QUESTION 2

An administrator notices that the Message Driven Beans (MDBs) are slow to complete, and decides to increase the 'Maximum concurrent MDB invocations per endpoint'.

Which thread pool should be tuned to ensure it can run the maximum number of MDBs without waiting?

- A. Default
- B. WebContainer
- C. SIBJMSRThreadPool
- D. WMQJCAResourceAdapter

Correct Answer: D

The thread pool WMQJCAResourceAdapter is referenced by the WebSphere MQ (WMQ) resource adapter inbound delivery to MDB's. When WebSphere MQ resource adapter is used in conjunction with the activation specs, the resource adapter's Work Manager uses the values defined for the WMQJCAResourceAdapter for utilizing the total number of threads defined.

Ideally the default values provides for the WMQJCAResourceAdapter will be sufficient for the resource adapter. But in case there is an heavy load on the system processing huge number of messages, you can increase the maximum number of threads the thread pool can hold.

Reference: <http://www-01.ibm.com/support/docview.wss?uid=swg21383363>



QUESTION 3

A system administrator has just enabled HPEL in the environment.

How can the administrator examine the logged data?

- A. Use the ViewLog command.
- B. Use the administrative console.
- C. Use a text editor to open the systemOut.log file.
- D. Use the IBM Support Assistant to analyze the text log.

Correct Answer: B

High Performance Extensible Logging (HPEL) is a log and trace facility that is provided as a part of WebSphere® Application Server. HPEL provides a log data repository, a trace data repository, and a text log file. The HPEL LogViewer is an easy-to-use, command-line tool provided for HPEL users to work with the log data and trace data repositories. Use the following command to view the full contents of your log and trace repositories: [Windows] (Windows) logViewer.bat [AIX HP-UX Solaris] (Unix- full profile) logViewer.sh [AIX HP-UX Solaris] (Unix- Liberty profile) logViewer

Reference: https://www.ibm.com/support/knowledgecenter/en/SSAW57_8.5.5/com.ibm.websphere.nd.doc/ae/rtrb_logviewer.html

QUESTION 4

Which of the following is a potential consequence when using an external session management store over a server level store?

- A. A server level store makes a smaller footprint.
- B. Only half the current sessions can be saved externally.
- C. External session management stores can use additional system resources.
- D. Using an external session management store takes 10X as long to rebuild the session after a failure.

Correct Answer: C

External session management stores can use additional system resources.

QUESTION 5

What certificate expiration option should be disabled to prevent possible outages?

- A. Enable checking.
- B. Enable expiration check notification.



C. Delete expiring certificates and signers.

D. Replace expiring self-signed certificates automatically.

Correct Answer: D

Enabling WebSphere Application Server to automatically replace the expiring certificates in a production environment can potentially cause a short- or long-term outage

Reference: https://www.ibm.com/support/knowledgecenter/en/SSAW57_8.5.5/com.ibm.websphere.nd.multiplatform.doc/ae/usec_sslmancertexpir.html

[Latest C9510-418 Dumps](#)

[C9510-418 VCE Dumps](#)

[C9510-418 Study Guide](#)