



C9510-418^{Q&As}

IBM Cloud Object Storage V3.8 Implementation

Pass IBM C9510-418 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9510-418.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is one of the steps to enable single sign-on (SSO) between multiple IBM WebSphere Application Servers?

- A. Retrieve an LTPA key file from IBM Support.
- B. Generate an LTPA key file from IBM Rational Application Developer.
- C. Retrieve the LTPA key file from the installation media, and import into the WebSphere Integrated Solutions Console.
- D. Export an LTPA key and password from one of the IBM WebSphere Application Server cells, and import it into other cells that are participating in SSO.

Correct Answer: C

QUESTION 2

An administrator configured Web authentication for a Web module deployed in an application server to protect the URL. After this configuration, application users could not load images that are protected on the web page.

In addition to configuring `com.ibm.wsspi.security.web.webAuthReq` as a JVM custom property, which two property values can an administrator set to resolve the problem? (Choose two.)

- A. lazy
- B. eager
- C. always
- D. transient
- E. persisting

Correct Answer: DE

QUESTION 3

How can an administrator reduce overhead when utilizing monitored directories?

- A. Increase the polling interval so that the process runs less often.
- B. Decrease the amount of time that the monitored directory is accessible by users.
- C. Decrease the size of the monitored directory so that larger files will not be able to be stored in it.
- D. Configure the monitored directory settings to not automatically synchronize the application once it is installed.

Correct Answer: A

To change the standard polling interval setting, specify a number of seconds in the Polling interval field.



Figure: Configuring the monitored directory

The screenshot shows a configuration window titled "Configuration" with a tab labeled "General Properties". Inside, there is a section titled "Monitored Directory Deployment". A checkbox labeled "Monitor directory to automatically deploy applications" is checked. Below it, the "Monitored directory" field contains the text `$USER_INSTALL_ROOT/monitoredDeployableApps`. The "Polling interval" field contains the number "5" followed by the unit "seconds". At the bottom of the configuration area, there are two buttons: "Apply" and "Reset".

Reference: Application Server V8.5, July 2013, page 852

QUESTION 4

An administrator is using the Guided Troubleshooter in the IBM Support Assistant to troubleshoot IBM WebSphere Application Server issues. After going through data collection and analysis, no reliable solution is found.

What is the administrator's best next step?

- A. Call in a new PMR with IBM and upload Troubleshooter data to ECuREP.
- B. Open a new PMR with IBM and upload SystemOut.log from the IBM WebSphere Application Server.
- C. Submit results to the IBM WebSphere Application Server forum for a quick response from other forum users.
- D. Use the Guided Troubleshooter to open a service request with IBM, so all the troubleshooting data analyzed so far is uploaded automatically.

Correct Answer: D

QUESTION 5

When installing interim fixes, which of the following is a valid repository option?

- A. Main repository
- B. Local repository
- C. Secured repository
- D. Compressed repository



Correct Answer: D

[C9510-418 VCE Dumps](#)

[C9510-418 Study Guide](#)

[C9510-418 Braindumps](#)