



C9510-842^{Q&As}

Rational Functional Tester for Java

Pass IBM C9510-842 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9510-842.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which feature is NOT offered by the Object Map interface?

- A. the ability to delete test objects that are not referenced by any scripts
- B. the ability to delete scripts that do not reference any test objects in the object map
- C. the ability to find all test objects not referenced by scripts
- D. the ability to merge two test objects

Correct Answer: B

QUESTION 2

What should the tester open to view Test Objects, Main Data Area and Recognition Data?

- A. the test script
- B. the test comparator
- C. the object map
- D. the log viewer

Correct Answer: B

QUESTION 3

Out of the box, what are the different options for logging RFT tests?

- A. HTML, text, custom, TestManager, and none
- B. HTML, text, TPTP, TestManager, and none
- C. TestManager, CQTM, TPTP, HTML, and none
- D. HTML, PDF, text, TestManager, and none

Correct Answer: B

QUESTION 4

Which three methods write to the RFT log? (Choose three.)

- A. logError()
- B. logDefect()



- C. logInfo()
- D. logWarning()
- E. logSuccess()

Correct Answer: ACD

QUESTION 5

Which three statements are true about HelperSuper classes? (Choose three.)

- A. Scripts can share Helper Superclasses.
- B. Scripts cannot share Helper Superclasses.
- C. Scripts can inherit from multiple Helper Superclasses.
- D. Scripts can inherit from a Helper Superclass that resides in a .jar file.

Correct Answer: ACD

[Latest C9510-842 Dumps](#)

[C9510-842 Practice Test](#)

[C9510-842 Study Guide](#)