



C9510-842^{Q&As}

Rational Functional Tester for Java

Pass IBM C9510-842 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9510-842.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Given the following:

A script named BuyCD has been created.

A Helper Superclass named HelperSuper1 has been created.

A Helper Superclass named HelperSuper2 has been created.

Which of the following are valid Functional Tester script class inheritance hierarchies? (Choose two.) Note: inherits from is expressed by the symbol ?

- A. BuyCD -> BuyCDHelper -> RationalTestScript
- B. BuyCD -> HelperSuper1 -> RationalTestScript
- C. Helper1 -> RationalTestScript -> BuyCD
- D. BuyCD -> HelperSuper1 -> HelperSuper2 -> RationalTestScript

Correct Answer: AD

QUESTION 2

How do you start the application under test?

- A. use the Windows Start menu
- B. simply begin recording
- C. open a command line and start the application by typing its name
- D. click the Start Application button on the recording toolbar

Correct Answer: D

QUESTION 3

How do you perform image verification in a test?

- A. select Perform Image Verification Point from the Verification Point and Action Wizard
- B. select the Perform Properties Verification Point from the Verification Point and Action Wizard, then select only the .src or other property for the image
- C. download and install the RFT Enhancement Pack plug-in from IBM Rational Support
- D. download and install the Image Comparator for Rational Functional Tester 2003.06 utility from developerWorks



Correct Answer: D

QUESTION 4

Which Java method advances the datapool cursor to the next row in the datapool?

- A. dpMoveNext()
- B. dpMoveCursor()
- C. dpNext()
- D. dpNextRow()

Correct Answer: C

QUESTION 5

What is the minimum weight that can be assigned to a recognition property?

- A. no value (leave blank)
- B. 0
- C. 1
- D. 10
- E. 100

Correct Answer: B

[Latest C9510-842 Dumps](#)

[C9510-842 Practice Test](#)

[C9510-842 Exam Questions](#)