



C9510-842^{Q&As}

Rational Functional Tester for Java

Pass IBM C9510-842 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9510-842.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Out of the box, what are the different options for logging RFT tests?

- A. HTML, text, custom, TestManager, and none
- B. HTML, text, TPTP, TestManager, and none
- C. TestManager, CQTM, TPTP, HTML, and none
- D. HTML, PDF, text, TestManager, and none

Correct Answer: B

QUESTION 2

Given the following code snippet:

```
OK().waitForExistence();
```

Assuming that no changes have been made to the Functional Tester default playback settings, which two statements will cause Functional Tester to wait for 60 seconds for the OK button to appear? (Choose two.)

- A. `setOption(IOptionName.MAXIMUM_FIND_OBJECT_TIME, 60.0)`
- B. `setOption(IOptionName.MAXIMUM_WAIT_FOR_EXISTENCE, 60.0)`
- C. `setOption(IOptionName.TIME_MULTIPLIER, .5)`
- D. `setOption(IOptionName.TIME_MULTIPLIER, 2.0)`

Correct Answer: BC

QUESTION 3

Which branches under Preferences contain specific settings to enable the ClearCase integration?

- A. Workbench and Test
- B. Functional Test and Run/Debug
- C. Workbench and Team
- D. Plug-in Development and Functional Test

Correct Answer: C

QUESTION 4



The two phases of playing back a script are script development and _____.

- A. unit testing
- B. manual verification
- C. reviewing results
- D. regression testing

Correct Answer: D

QUESTION 5

Given an existing TestManager Rational Test project, what are the steps to log results to TestManager?

- A. from TestManager, create a new Test Script Type for RFT, then from RFT, select the Functional Test logging preferences to TestManager
- B. from RFT, select the Functional Test logging preferences to TestManager, then select the TestManager project when you run an RFT test
- C. from RFT, associate the Rational Test Project with the RFT project, then select the Functional Test logging preferences to TestManager
- D. from the Rational Administrator, associate the RFT project to the Rational Test Project, then from RFT, select the Functional Test logging preferences to TestManager

Correct Answer: C

[C9510-842 VCE Dumps](#)

[C9510-842 Practice Test](#)

[C9510-842 Braindumps](#)