



C9530-404^{Q&As}

IBM Integration Bus V9.0 Solution Development

Pass IBM C9530-404 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9530-404.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A solution developer is analyzing the of a message flow. There are a number of references defined in the ESQL code of the Compute node.

Why should the developer use dynamic references in the ESQL code of the message flow?

- A. It is a technique to reduce tree copying in a message flow.
- B. It is a technique to reduce tree navigation when accessing repeating elements in a message tree.
- C. References allow the usage of optimized code from dynamically loaded external libraries.
- D. By creating a reference, intermediary results can be cached and so memory usage is reduced.

Correct Answer: B

QUESTION 2

A message flow contains multiple nodes that reference the same database. In the production environment, all nodes should refer to a database called CLAIMS. In the test environment, all nodes should refer to a database called CLAIMSTEST.

What can the solution developer do to ensure that all nodes refer to the same database when the message flow is deployed in the target environment?

- A. Create a configurable service for the database.
- B. Promote the Data Source property on each node to a single message flow property.
- C. Set the database name in the LocalEnvironment.Destination.Databasetree location.
- D. Declare a shared variable and set the Data Source property on each node to the shared variable.

Correct Answer: B

QUESTION 3

A solution developer wants to use the message flow debugger to troubleshoot a problem with a deployed flow.

What steps must the developer do to prepare for a debug session from within the Integration Toolkit?

- A. Launch the debugger by right clicking the integration server where the flow is deployed. Set Java debug port if not already configured. Add at least one breakpoint to the flow to be debugged. Edit Source Lookup Path and add a container to source lookup path.
- B. Launch the debugger by right clicking the flow deployed. Set Java debug port if not already configured. Add at least one breakpoint to the flow to be debugged.

Edit Source Lookup Path and add a container to source lookup path.




C. Launch the debugger by right clicking the flow deployed. Set Java debug port from the command line. Add at least one breakpoint to the flow to be debugged. Edit Source Lookup Path and add a container to source lookup path.

D. Launch the debugger by right clicking the integration server where the flow is deployed. Set Java debug port if not already configured. Add at least one breakpoint to the flow to be debugged. Add a container to source lookup path.

Correct Answer: C

QUESTION 4

A solution developer has developed a message flow that is in an application named App5 shown below.



A second application, named TestService, contains the message flow that processes messages sent from the Send MQ to TestService MQ Output node and returns the response message that is then retrieved by the MQ Get node. This application is already deployed to the Integration Server that is named default.

The solution developer wants to use the Test Client to test App5. The Test Client preferences are the defaults. The application has been deployed using a BAR file named App5.bar to the Integration Server that is named default.

What configuration is required in the Test Client to test App5 to the end of the message flow?

- A. 1. In Message Flows add the TestService application.
2. From MQ Settings, clear the checkbox for Stop when the first MQ message is received.
- B. 1. In Deployment settings, set Deployment Options to Always rebuild and deploy a Broker Archive automatically.
2. From MQ Settings, clear the checkbox for Stop when the first MQ message is received.
- C. 1. In Deployment settings, set Deployment Options to I will deploy the specified Broker Archive manually.
2. Set Specify Broker Archive file parameter to App5.bar.
3.
Set Deployment location to the correct location with the default Integration Server where App5 is deployed.
4.
Select (check) the checkbox for Stop when the first MQ message is received.
- D. In Deployment settings, set Deployment Options to I will deploy the specified Broker Archive manually.
2.
Set Specify Broker Archive file parameter to App5.bar.



3.

SetDeployment locationto the correct location with the default Integration Server where App5 is deployed.

4.

FromMQ Settings, clear the checkbox forStop when the first MQ message is received.

Correct Answer: B

QUESTION 5

In a data analysis project, a set of sample XML documents are analyzed according to:

- A. business rules.
- B. a validation stylesheet.
- C. the content of the data.
- D. the structure of the schema.

Correct Answer: C

[C9530-404 PDF Dumps](#)

[C9530-404 Practice Test](#)

[C9530-404 Study Guide](#)